

Dermatosis		Total n(%)	Sexo Fem.	Sexo Masc.	p	Término	Postérmino	Pretérmino	p	Macrosómico	BPN	Normopeso	p
Cutis marmorata	Si	227 (8,1)	121 (8,8)	106 (7,4)	0,100	212 (7,9)	0 (0,0)	15 (12,3)	0,120	14 (7,6)	12 (13)	201 (7,9)	0,200
	No	2584 (91,9)	1260 (91,2)	1324 (92,6)		2664 (92,1)	13 (100)	107 (87,0)		170 (92,4)	80 (87,0)	2334 (92,1)	
Mancha salmón	Si	1564 (55,6)	808 (58,5)	756 (52,9)	0.003*	1494 (55,8)	6 (46,2)	64 (52,5)	0,600	105 (57,1)	43 (46,7)	1416 (55,9)	0,200
	No	1247 (44,4)	573 (41,5)	674 (47,1)		1182 (44,2)	7 (53,8)	58 (47,5)		79 (42,9)	49 (53,3)	1119 (44,1)	
Melanocitosis dérmica	Si	1126 (40,1)	564 (40,8)	562 (39,3)	0,400	1072 (40,1)	7 (53,8)	47 (38,5)	0,500	61 (33,2)	45 (48,9)	1020 (40,2)	0,035*
	No	1685 (59,9)	817 (59,2)	868 (60,7)		1604 (59,9)	6 (46,2)	75 (61,5)		123 (66,8)	47 (51,1)	1515 (59,8)	
Hiperpigmentación transitoria neonatal	Si	675 (24,0)	236 (17,1)	439 (30,7)	<0,001*	655 (24,5)	3 (23,0)	17 (13,9)	0,029*	45 (24,5)	14 (15,2)	616 (24,3)	0,130
	No	2136 (76,0)	1145 (82,9)	991 (69,3)		2021 (75,5)	10 (76,9)	105 (86,1)		139 (75,5)	78 (84,8)	1919 (75,7)	
Máscara equimótica	Si	194 (6,9)	98 (7,1)	96 (6,7)	0,600	191 (7,1)	3 (2,5)	0 (0,0)	0,080	25 (13,6)	1 (1,1)	168 (6,6)	<0,001*
	No	2617 (93,1)	1283 (92,9)	1334 (93,3)		2485 (92,9)	119 (97,5)	13 (100)		159 (86,4)	91 (98,9)	2367 (93,4)	

Dermatosis		Total n (%)	Afro	Caucásico	Mestizo	p	Día 1	Día 2	Día 3	p	Madres ≤ 18 años	Madres de 19 – 34 años	Madres ≥ 35 años	p	Parto	Cesárea	p
Lanugo	Presencia	2764 (98,3)	32 (97,0)	2375 (98,2)	357 (99,2)	0,300	2160 (98,2)	579 (98,8)	25 (96,2)	0,400	430 (99,1)	2108 (98,4)	223 (96,5)	0,047	2067 (98,4)	697 (98,2)	0,700
	Ausencia	47 (1,7)	1 (3,0)	43 (1,8)	3 (0,8)		39 (1,8)	7 (1,2)	1 (3,8)		4 (0,9)	34 (1,6)	8 (3,5)		31 (1,6)	13 (1,8)	
Descamación	Presencia	2240 (79,7)	28 (84,8)	1911 (79,0)	301 (83,6)	0,100	1782 (81,0)	438 (74,7)	20 (76,9)	0,003*	351 (81,6)	1700 (79,4)	183 (79,2)	0,500	1704 (81,1)	536 (75,5)	< 0,001*
	Ausencia	571 (20,3)	5 (15,2)	507 (21,0)	59 (16,4)		417 (19,0)	148 (25,3)	6 (23,1)		79 (18,4)	442 (20,6)	48 (20,8)		397 (18,9)	174 (24,5)	
Hiperplasia sebácea	Presencia	2060 (73,3)	23 (69,7)	1784 (73,8)	253 (70,3)	0,300	1603 (72,9)	443 (75,6)	14 (53,8)	0,030*	319 (74,2)	1557 (72,7)	179 (77,5)	0,200	1528 (72,7)	532 (74,9)	0,200
	Ausencia	751 (26,7)	10 (30,3)	634 (26,2)	107 (29,7)		596 (27,1)	143 (24,4)	12 (46,2)		111 (25,8)	585 (27,3)	52 (22,5)		573 (27,3)	178 (25,1)	
Perlas de Epstein	Presencia	1863 (66,3)	16 (48,5)	1630 (67,4)	217 (60,3)	0,003*	1481 (67,3)	370 (63,1)	12 (46,2)	0,01*	299 (69,5)	1413 (66,0)	145 (62,8)	0,100	1393 (66,3)	470 (66,2)	0,900
	Ausencia	948 (33,7)	17 (51,5)	788 (32,6)	143 (39,7)		718 (32,7)	216 (36,9)	14 (53,8)		131 (30,5)	729 (34,0)	86 (37,2)		708 (33,7)	240 (33,8)	
Vérnix caseoso	Presencia	1779 (63,3)	21 (63,6)	1534 (63,4)	224 (62,2)	0,900	1465 (66,6)	305 (52,0)	9 (34,6)	< 0,001*	286 (66,5)	1352 (63,1)	138 (59,7)	0,200	1338 (63,7)	441 (62,1)	0,400
	Ausencia	1032 (36,7)	12 (36,4)	884 (36,6)	136 (37,8)		734 (33,4)	281 (48,0)	17 (65,4)		144 (33,5)	790 (36,9)	93 (40,3)		763 (36,3)	269 (37,9)	
ETN	Presencia	1554 (55,3)	15 (45,5)	1353 (56,0)	186 (51,7)	0,160	1161 (52,8)	376 (64,2)	17 (65,4)	< 0,001*	223 (51,9)	1195 (55,8)	131 (56,7)	0,200	1192 (56,7)	362 (51,0)	0,008*
	Ausencia	1257 (44,7)	18 (54,5)	1065 (44,0)	174 (48,3)		1038 (47,2)	210 (35,8)	9 (34,6)		207 (48,1)	947 (44,2)	100 (43,3)		909 (43,3)	348 (49,0)	
Acrocianosis	Presencia	1422 (50,6)	10 (30,3)	1234 (51,0)	178 (49,4)	0,055	1120 (50,9)	293 (50,0)	9 (34,6)	0,200	217 (50,5)	1081 (50,5)	118 (50,9)	0,900	1063 (50,6)	359 (50,6)	0,900
	Ausencia	1389 (49,4)	23 (69,7)	1184 (49,0)	182 (50,6)		1079 (49,1)	293 (50,0)	17 (65,4)		213 (49,5)	1061 (49,5)	114 (49,1)		1038 (49,4)	351 (49,4)	
Dermatosis		Total n (%)	Afro	Caucásico	Mestizo	p	Día 1	Día 2	Día 3	p	Madres ≤ 18 años	Madres de 19 – 34 años	Madres ≥ 35 años	p	Parto	Cesárea	p
Quistes de milio	Presencia	1088 (38,7)	12 (36,4)	948 (39,2)	128 (35,6)	0,300	822 (37,4)	255 (43,5)	11 (43,3)	0,024*	149 (34,7)	846 (39,5)	90 (39)	0,170	814 (38,7)	274 (38,6)	0,900
	Ausencia	1723 (61,3)	21 (66,6)	1470 (60,8)	232 (64,4)		1377 (62,6)	331 (56,5)	15 (57,7)		281 (65,3)	1296 (60,5)	141 (61)		1287 (61,3)	436 (61,4)	
Nódulos de Bohn	Presencia	888 (31,6)	8 (24,8)	777 (32,1)	103 (28,6)	0,200	717 (32,6)	166 (28,3)	5 (19,2)	0,056	152 (35,3)	672 (31,4)	62 (26,8)	0,070	667 (31,7)	221 (31,1)	0,700
	Ausencia	1923 (68,4)	25 (75,8)	1641 (67,9)	257 (71,4)		1482 (67,4)	420 (71,7)	21 (80,8)		278 (64,7)	1470 (68,6)	169 (73,2)		1434 (68,3)	489 (68,9)	
Miliaria cristalina	Presencia	883 (31,4)	9 (27,3)	801 (33,1)	73 (20,3)	< 0,001*	694 (31,6)	181 (30,9)	8 (30,8)	0,900	127 (29,5)	675 (31,5)	79 (34,1)	0,400	650 (30,9)	233 (32,8)	0,300
	Ausencia	1928 (68,6)	24 (72,7)	1617 (66,9)	287 (79,7)		1505 (68,4)	1405 (60,1)	18 (69,2)		303 (70,5)	1467 (68,5)	153 (65,9)		1451 (69,1)	477 (67,2)	
Ictericia	Presencia	617 (21,9)	6 (18,2)	553 (22,9)	58 (16,1)	0,013*	334 (15,2)	271 (46,2)	12 (46,2)	< 0,001*	93 (21,6)	466 (1,8)	57 (24,6)	0,600	457 (21,8)	160 (22,5)	0,600

	Ausencia	2194 (78,1)	27 (81,8)	1865 (77,1)	302 (83,9)		1865 (84,8)	315 (53,8)	14 (53,8)		337 (78,4)	1676 (78,2)	175 (75,4)		1644 (78,2)	550 (77,5)	
Cutis marmorata	Presencia	227(8,1)	2 (6,1)	205 (8,5)	20 (5,6)	0,150	155 (7)	69 (11,8)	3 (11,5)	0,001*	30 (7)	166 (7,7)	30 (12,9)	0,015	163 (7,8)	64 (9)	0,200
	Ausencia	2584 (91,9)	31 (93,9)	2213 (91,5)	340 (94,4)		2044 (93)	517 (88,2)	23 (88,5)		400 (93)	1976 (92,3)	202 (87,1)		1938 (92,2)	646 (91,0)	
Mancha salmón	Presencia	1564 (55,6)	12 (36,4)	1359 (56,2)	193 (53,6)	0,053	1248 (56,8)	305 (52,0)	11 (42,3)	0,049*	218 (50,7)	1203 (56,2)	136 (58,6)	0,070	1163 (55,4)	401 (56,5)	0,600
	Ausencia	1247 (44,4)	21 (63,6)	1059 (43,8)	167 (46,4)		951 (43,2)	281 (48,0)	15 (57,7)		212 (49,3)	939 (43,8)	96 (41,4)		938 (44,6)	309 (43,5)	
Melanocitosis dérmica	Presencia	1126 (40,1)	19 (57,6)	908 (37,6)	199 (55,3)	0,001*	862 (39,2)	257 (43,9)	7 (26,9)	0,048*	177 (41,2)	844 (39,6)	97 (41,8)	0,700	847 (40,3)	279 (39,3)	0,300
	Ausencia	1685 (59,9)	14 (42,4)	1510 (62,4)	161 (44,7)		1337 (60,8)	329 (56,1)	19 (73,1)		253 (58,8)	1294 (60,4)	135 (58,2)		1254 (59,7)	431 (60,7)	
Hiperpigmentación transitoria neonatal	Presencia	675 (24,0)	22 (66,7)	491 (20,3)	162 (45,0)	0,001*	529 (24,1)	142 (24,2)	4 (15,4)	0,500	93 (21,6)	520 (24,3)	62 (26,7)	0,300	512 (24,4)	163 (23,0)	0,400
	Ausencia	2136 (76,0)	11 (33,3)	1929 (79,7)	198 (55,0)		1670 (75,9)	444 (75,8)	22 (84,6)		337 (78,0)	1622 (75,7)	170 (73,3)		1589 (75,6)	547 (77,0)	
Máscara Equimotica	Presencia	194 (6,9)	0 (0)	153 (6,3)	41 (11,4)	0,001*	164 (7,5)	29 (4,9)	1 (3,8)	0,080	27 (6,3)	145 (6,8)	21 (9,1)	0,300	188 (8,9)	6 (0,8)	0,001*
	Ausencia	2617 (93,1)	33 (100)	2265 (93,7)	319 (88,6)		2035 (92,5)	557 (95,1)	25 (96,2)		403 (93,7)	1997 (93,2)	211 (90,9)		1913 (91,1)	704 (99,2)	

Prueba de Chi- cuadrado de Pearson. Prueba exacta de Fischer. Nivel de significancia: $P \leq 0,05$.*