

APÉNDICE A. Modelo univariante de asociación de la mortalidad según las características de los pacientes.

	Vivos N=246	Exitus N=113	p. overall	HR	p. ratio
Procedencia			0,056		
Domicilio	191 (71,5%)	76(28,5%)		Referencia	Referencia
Sociosanitario	4 (80,0%)	1 (20,0%)		0,65 [0,09;4,68]	0,669
Residencia	51 (58,6%)	36 (41,4%)		1,60 [1,08;2,38]	0,02
Edad	87,0 [83,0;90,0]	89,0 [85,0;92,0]	<0,001	1,07 [1,03;1,11]	<0,001
Charlson	2,00 [2,00;3,00]	3,00 [2,00;4,00]	0,001	1,20 [1,08;1,34]	0,001
Charlson 3 grupos			0,003		
0-1	61 (85,9%)	10 (14,1%)		Referencia	Referencia
2	71 (66,4%)	36 (33,6%)		2,68 [1,33;5,40]	0,006
>2	114 (63,0%)	67 (37,0%)		2,98 [1,53;5,79]	0,001
ASA:			<0,001		
III	149 (64,2%)	83 (35,8%)		Referencia	Referencia
I	25 (92,6%)	2 (7,41%)		0,17 [0,03;0,69]	0,013
II	61 (81,3%)	14 (18,7%)	<0,001	0,47 [0,27;0,83]	0,009
IV	11 (44,0%)	14 (56,0%)		1,81 [1,03;3,20]	0,04
ASA 2 grupos					
[I, II]	86 (84,3%)	16 (15,7%)		Referencia	Referencia
[III,IV]	160 (62,3%)	97 (37,7%)		2,77 [1,63;4,70]	<0,001
Insuficiencia cardiaca			0,002		
no	206 (72,3%)	79 (27,7%)		Referencia	Referencia
si	40 (54,1%)	34 (45,9%)		1,89 [1,26;2,83]	0,002
Demencia			<0,001		
no	180 (75,3%)	59 (24,7%)		Referencia	Referencia
si	66 (55,0%)	54 (45,0%)		2,08 [1,44;3,01]	<0,001
Delirium			0,002		
no	140 (75,7%)	45 (24,3%)		Referencia	Referencia
si	106 (60,9%)	68 (39,1%)		1,81[1,24;2,64]	0,002
FAC previo			<0,001		
5	123 (88,5%)	16 (11,5%)		Referencia	Referencia
0	6 (60,0%)	4 (40,0%)		4,05 [1,35;12,1]	0,012
1	2 (100%)	0 (0,0%)		0,00	0,995
2	18 (42,9%)	24 (57,1%)		7,07 [3,75;13,3]	<0,001
3	35 (50,7%)	34 (49,3%)		5,43 [3,00;9,85]	<0,001
4	62 (63,9%)	35 (36,1%)		3,82 [2,12;6,91]	<0,001
Índice de Barthel previo	80,0 [56,2;100]	55,0 [40,0;75,0]	<0,001	0,98 [0,97;0,99]	<0,001
Índice de Barthel al ingreso	10,0 [10,0;20,0]	10,0 [0,00;10,0]	<0,001	0,94 [0,92;0,96]	<0,001
Pérdida funcional	70,0 [50,0;80,0]	50,0 [40,0;65,0]	<0,001	0,98 [0,97;0,98]	<0,001
Ingreso- cirugía			0,001		
Menos de 48 horas	118 (76,6%)	36 (23,4%)		Referencia	Referencia
Mas de 48 horas					
Causa administrativa	92 (66,2%)	47 (33,8%)		1,47 [0,95;2,27]	0,082
Causa médica	34 (55,7%)	27 (44,3%)		2,27 [1,38;3,73]	0,001
No cirugía	2 (40,0%)	3 (60,0%)		5,31 [1,63;17,2]	0,005