

Anexo 1. Estudios excluidos y motivos de exclusión.

#	Estudio	Razones de exclusión
1	Anakwe 2011 (1)	El dolor postQ no es la variable dependiente
2	Alzahrani 2011 (2)	El dolor postQ no es la variable dependiente
3	Anouchi 1996 (3)	El dolor postQ no es la variable dependiente
4	Arbuthnot 2011 (4)	El dolor postQ no es la variable dependiente
5	Ayers 2004 (5)	Incluida en revisión sistemática (6)
6	Ayers 2005 (7)	Incluida en revisión sistemática (6)
7	Bachmeier 2001 (8)	Utilizan el componente de dolor corporal del SF-36
8	Baker 2007 (9)	El dolor postQ no es la variable dependiente
9	Barrack 2000 (10)	No se evalúan ciertas variables como factores predictores, solo se establecen diferencias
10	Beupre 2004 (11)	Incluida en revisión sistemática (12)
11	Brander 2003 (13)	Incluida en revisión sistemática (6)
12	Briton 1997 (14)	No se evalúa el sexo como factor predictor, solo se establecen diferencias
13	Busato 2008 (15)	El dolor postQ no es la variable dependiente
14	Caracciolo 2005 (16)	El dolor postQ no es la variable dependiente
15	Carroll 2012 (17)	Mezcla distintas cirugías, no sub-análisis por grupos
16	Chalidis 2010 (18)	No se evalúa la técnica quirúrgica como factor predictor, solo se establecen diferencias
17	Cheng 2012 (19)	El dolor postQ no es la variable dependiente
18	Choi 2012 (20)	El dolor postQ no es la variable dependiente
19	Clement (21)	No localizable
20	Crosbie 2010 (22)	Las variables predictoras de dolor postQ no son preQ
21	D'Apuzzo 2012 (23)	Todos son pacientes con fibromialgia
22	Dickob 1996 (24)	No se evalúan ciertas variables como factores predictores, solo se establecen diferencias
23	Dowsey 2009 (25)	No se evalúan el idioma como factor predictor, solo se establecen diferencias
24	Fisher 2007 (26)	El dolor postQ no es la variable dependiente
25	Fitzgerald 2004 (27)	Utilizan el componente de dolor corporal del SF-36
26	Fortin 2002 (28)	El dolor postQ no es la variable dependiente
27	Gandhi 2009 (29)	El dolor postQ no es la variable dependiente
28	Hall 2002 (30)	El dolor postQ hace referencia al dolor al alta
29	Hosaka 2011 (31)	El dolor postQ no es la variable dependiente
30	Kamath 2010 (32)	El dolor postQ no es la variable dependiente
31	Kennedy 2013a (33)	No se evalúan ciertas variables como factores predictores, solo se establecen diferencias
32	Kennedy 2013b (34)	No se evalúan ciertas variables como factores predictores, solo se establecen diferencias
33	Konig 1997 (35)	No localizable
34	Kostamo 2009 (36)	No se evalúan ciertas variables como factores predictores, solo se establecen diferencias
35	Kulkarni 2000 (37)	No se evalúan ciertas variables como factores predictores, solo se establecen diferencias
36	Lavernia 2011 (38)	No se evalúa el sexo como factor predictor, solo se establecen diferencias
37	Lavernia 2009 (39)	No localizable
38	Lavernia 2013a (40)	No localizable
39	Lavernia 2013b (41)	No localizable
40	Lee 2011 (42)	No se evalúa la impresión quirúrgica del cirujano como factor predictor, solo se establecen diferencias
41	Liebs 2011 (43)	El dolor postQ no es la variable dependiente
42	Lingard 2004 (44)	No localizable
43	Lingard 2006 (45)	Incluida en revisión sistemática (6, 46)
44	Lingard 2007 (47)	Incluida en revisión sistemática (6)
45	Lizaur-Utrilla 2012 (48)	Incluida en revisión sistemática (49)

46	Lopez-Olivo 2011 (50)	Incluida en revisión sistemática (46)
47	MacDonalds 2008 (51)	No se evalúan ciertas variables como factores predictores, solo se establecen diferencias
48	Mahomed 2002 (52)	Incluida en revisión sistemática (6, 46)
49	Manion 2009 (53)	El dolor postQ no es la variable dependiente
50	Marti-Valls 2000 (54)	El dolor postQ no es la variable dependiente
51	Molli 2012 (55)	No se evalúan ciertas variables como factores predictores, solo se establecen diferencias
52	Munk 2011 (56)	El dolor postQ no es la variable dependiente
53	Nilsdotter 2001 (57)	No se evalúan ciertas variables como factores predictores, solo se establecen diferencias
54	Nilsdotter 2002 (58)	No se evalúan ciertas variables como factores predictores, solo se establecen diferencias
55	Rolfson 2009 (59)	Incluida en revisión sistemática (6)
56	Rooks 2006 (60)	No se evalúan ciertas variables como factores predictores, solo se establecen diferencias
57	Samson 2010 (61)	El dolor postQ no es la variable dependiente
58	Street 2005 (62)	No hay análisis ajustado
59	Van Der Straeten 2013 (63)	El dolor postQ no es la variable dependiente

Abreviaturas: postQ=post quirúrgico.

BIBLIOGRAFÍA

1. Anakwe RE, Jenkins PJ, Moran M. Predicting dissatisfaction after total hip arthroplasty: a study of 850 patients. *The Journal of arthroplasty*. 2011;26(2):209-13. Epub 2010/05/14.
2. Alzahrani K, Gandhi R, Debeer J, Petruccelli D, Mahomed N. Prevalence of clinically significant improvement following total knee replacement. *The Journal of rheumatology*. 2011;38(4):753-9. Epub 2011/01/18.
3. Anouchi YS, McShane M, Kelly F, Jr., Elting J, Stiehl J. Range of motion in total knee replacement. *Clinical orthopaedics and related research*. 1996(331):87-92. Epub 1996/10/01.
4. Arbutnot JE, Wainwright O, Stables G, Rathinam M, Rowley DI, McNicholas MJ. Dysfunction of the posterior cruciate ligament in total knee arthroplasty. *Knee surgery, sports traumatology, arthroscopy : official journal of the ESSKA*. 2011;19(6):893-8. Epub 2010/09/03.
5. Ayers DC, Franklin PD, Trief PM, Ploutz-Snyder R, Freund D. Psychological attributes of preoperative total joint replacement patients: implications for optimal physical outcome. *The Journal of arthroplasty*. 2004;19(7 Suppl 2):125-30. Epub 2004/10/01.
6. Vissers MM, Bussmann JB, Verhaar JA, Busschbach JJ, Bierma-Zeinstra SM, Reijman M. Psychological factors affecting the outcome of total hip and knee arthroplasty: a systematic review. *Seminars in arthritis and rheumatism*. 2012;41(4):576-88. Epub 2011/11/01.
7. Ayers DC, Franklin PD, Ploutz-Snyder R, Boisvert CB. Total knee replacement outcome and coexisting physical and emotional illness. *Clinical orthopaedics and related research*. 2005;440:157-61. Epub 2005/10/22.
8. Bachmeier CJ, March LM, Cross MJ, Lapsley HM, Tribe KL, Courtenay BG, et al. A comparison of outcomes in osteoarthritis patients undergoing total hip and knee replacement surgery. *Osteoarthritis and cartilage / OARS, Osteoarthritis Research Society*. 2001;9(2):137-46. Epub 2001/05/02.
9. Baker PN, van der Meulen JH, Lewsey J, Gregg PJ. The role of pain and function in determining patient satisfaction after total knee replacement. Data from the National Joint Registry for England and Wales. *The Journal of bone and joint surgery British volume*. 2007;89(7):893-900. Epub 2007/08/04.

10. Barrack RL, Paprosky W, Butler RA, Palafox A, Szuszczewicz E, Myers L. Patients' perception of pain after total hip arthroplasty. *The Journal of arthroplasty*. 2000;15(5):590-6. Epub 2000/08/26.
11. Beaupre LA, Lier D, Davies DM, Johnston DB. The effect of a preoperative exercise and education program on functional recovery, health related quality of life, and health service utilization following primary total knee arthroplasty. *The Journal of rheumatology*. 2004;31(6):1166-73. Epub 2004/06/02.
12. Louw A, Diener I, Butler DS, Puentedura EJ. Preoperative education addressing postoperative pain in total joint arthroplasty: review of content and educational delivery methods. *Physiotherapy theory and practice*. 2013;29(3):175-94. Epub 2012/10/06.
13. Brander VA, Stulberg SD, Adams AD, Harden RN, Bruehl S, Stanos SP, et al. Predicting total knee replacement pain: a prospective, observational study. *Clinical orthopaedics and related research*. 2003(416):27-36. Epub 2003/12/04.
14. Britton AR, Murray DW, Bulstrode CJ, McPherson K, Denham RA. Pain levels after total hip replacement: their use as endpoints for survival analysis. *The Journal of bone and joint surgery British volume*. 1997;79(1):93-8. Epub 1997/01/01.
15. Busato A, Roder C, Herren S, Egli S. Influence of high BMI on functional outcome after total hip arthroplasty. *Obesity surgery*. 2008;18(5):595-600. Epub 2008/03/29.
16. Caracciolo B, Giaquinto S. Determinants of the subjective functional outcome of total joint arthroplasty. *Archives of gerontology and geriatrics*. 2005;41(2):169-76. Epub 2005/08/09.
17. Carroll I, Barelka P, Wang CK, Wang BM, Gillespie MJ, McCue R, et al. A pilot cohort study of the determinants of longitudinal opioid use after surgery. *Anesthesia and analgesia*. 2012;115(3):694-702. Epub 2012/06/26.
18. Chalidis BE, Petsatodis G, Christodoulou AG, Christoforidis J, Papadopoulos PP, Pournaras J. Is obesity a contraindication for minimal invasive total knee replacement? A prospective randomized control trial. *Obesity surgery*. 2010;20(12):1633-41. Epub 2009/09/17.
19. Cheng T, Pan XY, Mao X, Zhang GY, Zhang XL. Little clinical advantage of computer-assisted navigation over conventional instrumentation in primary total knee arthroplasty at early follow-up. *The Knee*. 2012;19(4):237-45. Epub 2011/12/02.
20. Choi WC, Ryu KJ, Lee S, Seong SC, Lee MC. Painful patellar clunk or crepitation of contemporary knee prostheses. *Clinical orthopaedics and related research*. 2013;471(5):1512-22. Epub 2012/10/27.
21. Clement ND, Jenkins PJ, MacDonald D, Nie YX, Patton JT, Breusch SJ, et al. Socioeconomic status affects the Oxford knee score and short-form 12 score following total knee replacement. *The bone & joint journal*. 2013;95-B(1):52-8. Epub 2013/01/12.
22. Crosbie J, Naylor J, Harmer A, Russell T. Predictors of functional ambulation and patient perception following total knee replacement and short-term rehabilitation. *Disability and rehabilitation*. 2010;32(13):1088-98. Epub 2009/10/29.
23. D'Apuzzo MR, Cabanela ME, Trousdale RT, Sierra RJ. Primary total knee arthroplasty in patients with fibromyalgia. *Orthopedics*. 2012;35(2):e175-8. Epub 2012/02/09.
24. Dickob M, Martini T. The cementless PM hip arthroplasty. Four-to-seven-year results. *The Journal of bone and joint surgery British volume*. 1996;78(2):195-9. Epub 1996/03/01.

25. Dowsey MM, Broadhead ML, Stoney JD, Choong PF. Outcomes of total knee arthroplasty in English- versus non-English-speaking patients. *Journal of orthopaedic surgery (Hong Kong)*. 2009;17(3):305-9. Epub 2010/01/13.
26. Fisher DA, Dierckman B, Watts MR, Davis K. Looks good but feels bad: factors that contribute to poor results after total knee arthroplasty. *The Journal of arthroplasty*. 2007;22(6 Suppl 2):39-42. Epub 2007/10/11.
27. Fitzgerald JD, Orav EJ, Lee TH, Marcantonio ER, Poss R, Goldman L, et al. Patient quality of life during the 12 months following joint replacement surgery. *Arthritis and rheumatism*. 2004;51(1):100-9. Epub 2004/02/12.
28. Fortin PR, Penrod JR, Clarke AE, St-Pierre Y, Joseph L, Belisle P, et al. Timing of total joint replacement affects clinical outcomes among patients with osteoarthritis of the hip or knee. *Arthritis and rheumatism*. 2002;46(12):3327-30. Epub 2002/12/17.
29. Gandhi R, Tsvetkov D, Davey JR, Syed KA, Mahomed NN. Relationship between self-reported and performance-based tests in a hip and knee joint replacement population. *Clinical rheumatology*. 2009;28(3):253-7. Epub 2008/10/15.
30. Hall GM, Peerbhoy D, Shenkin A, Parker CJ, Salmon P. Relationship of the functional recovery after hip arthroplasty to the neuroendocrine and inflammatory responses. *British journal of anaesthesia*. 2001;87(4):537-42. Epub 2002/03/07.
31. Hosaka K, Saito S, Ishii T, Mori S, Sumino T, Tokuhashi Y. Asian-specific total knee system: 5-14 year follow-up study. *BMC musculoskeletal disorders*. 2011;12:251. Epub 2011/11/04.
32. Kamath AF, Horneff JG, Gaffney V, Israelite CL, Nelson CL. Ethnic and gender differences in the functional disparities after primary total knee arthroplasty. *Clinical orthopaedics and related research*. 2010;468(12):3355-61. Epub 2010/07/16.
33. Kennedy JW, Johnston L, Cochrane L, Boscainos PJ. Total Knee Arthroplasty in the Elderly: Does Age Affect Pain, Function or Complications? *Clinical orthopaedics and related research*. 2013. Epub 2013/01/29.
34. Kennedy JW, Johnston L, Cochrane L, Boscainos PJ. Outcomes of total hip arthroplasty in the octogenarian population. *The surgeon : journal of the Royal Colleges of Surgeons of Edinburgh and Ireland*. 2013. Epub 2013/01/26.
35. Konig A, Scheidler M, Rader C, Eulert J. The need for a dual rating system in total knee arthroplasty. *Clinical orthopaedics and related research*. 1997(345):161-7. Epub 1998/01/07.
36. Kostamo T, Bourne RB, Whittaker JP, McCalden RW, MacDonald SJ. No difference in gender-specific hip replacement outcomes. *Clinical orthopaedics and related research*. 2009;467(1):135-40. Epub 2008/09/10.
37. Kulkarni SK, Freeman MA, Poal-Manresa JC, Asencio JI, Rodriguez JJ. The patellofemoral joint in total knee arthroplasty: is the design of the trochlea the critical factor? *The Journal of arthroplasty*. 2000;15(4):424-9. Epub 2000/07/07.
38. Lavernia CJ, Alcerro JC, Contreras JS, Rossi MD. Patient perceived outcomes after primary hip arthroplasty: does gender matter? *Clinical orthopaedics and related research*. 2011;469(2):348-54. Epub 2010/08/12.
39. Lavernia CJ, Laoruengthana A, Contreras JS, Rossi MD. All-Patient Refined Diagnosis-Related Groups in primary arthroplasty. *The Journal of arthroplasty*. 2009;24(6 Suppl):19-23. Epub 2009/04/17.

40. Lavernia CJ, Villa JM, Contreras JS. Alcohol use in elective total hip arthroplasty: risk or benefit? *Clinical orthopaedics and related research*. 2013;471(2):504-9. Epub 2012/08/21.
41. Lavernia CJ, Villa JM, Contreras JS. Arthroplasty knee surgery and alcohol use: risk factor or benefit? *Clinical orthopaedics and related research*. 2013;471(1):189-94. Epub 2012/07/20.
42. Lee GC, Lotke PA. Can surgeons predict what makes a good TKA? Intraoperative surgeon impression of TKA quality does not correlate with Knee Society scores. *Clinical orthopaedics and related research*. 2012;470(1):159-65. Epub 2011/08/09.
43. Liebs TR, Herzberg W, Roth-Kroeger AM, Ruther W, Hassenpflug J. Women recover faster than men after standard knee arthroplasty. *Clinical orthopaedics and related research*. 2011;469(10):2855-65. Epub 2011/06/24.
44. Lingard EA, Katz JN, Wright EA, Sledge CB. Predicting the outcome of total knee arthroplasty. *The Journal of bone and joint surgery American volume*. 2004;86-A(10):2179-86. Epub 2004/10/07.
45. Lingard EA, Sledge CB, Learmonth ID. Patient expectations regarding total knee arthroplasty: differences among the United States, United kingdom, and Australia. *The Journal of bone and joint surgery American volume*. 2006;88(6):1201-7. Epub 2006/06/08.
46. Haanstra TM, van den Berg T, Ostelo RW, Poolman RW, Jansma IP, Cuijpers P, et al. Systematic review: do patient expectations influence treatment outcomes in total knee and total hip arthroplasty? *Health and quality of life outcomes*. 2012;10:152. Epub 2012/12/19.
47. Lingard EA, Riddle DL. Impact of psychological distress on pain and function following knee arthroplasty. *The Journal of bone and joint surgery American volume*. 2007;89(6):1161-9. Epub 2007/06/05.
48. Lizaaur-Utrilla A, Sanz-Reig J, Trigueros-Rentero MA. Greater satisfaction in older patients with a mobile-bearing compared with fixed-bearing total knee arthroplasty. *The Journal of arthroplasty*. 2012;27(2):207-12. Epub 2011/07/15.
49. Li YL, Wu Q, Ning GZ, Feng SQ, Wu QL, Li Y, et al. No difference in clinical outcome between fixed- and mobile-bearing TKA: a meta-analysis. *Knee surgery, sports traumatology, arthroscopy : official journal of the ESSKA*. 2012. Epub 2012/12/06.
50. Lopez-Olivo MA, Landon GC, Siff SJ, Edelstein D, Pak C, Kallen MA, et al. Psychosocial determinants of outcomes in knee replacement. *Annals of the rheumatic diseases*. 2011;70(10):1775-81. Epub 2011/07/28.
51. MacDonald SJ, Charron KD, Bourne RB, Naudie DD, McCalden RW, Rorabeck CH. The John Insall Award: gender-specific total knee replacement: prospectively collected clinical outcomes. *Clinical orthopaedics and related research*. 2008;466(11):2612-6. Epub 2008/09/19.
52. Mahomed NN, Liang MH, Cook EF, Daltroy LH, Fortin PR, Fossel AH, et al. The importance of patient expectations in predicting functional outcomes after total joint arthroplasty. *The Journal of rheumatology*. 2002;29(6):1273-9. Epub 2002/06/18.
53. Mannion AF, Kampfen S, Munzinger U, Kramers-de Quervain I. The role of patient expectations in predicting outcome after total knee arthroplasty. *Arthritis research & therapy*. 2009;11(5):R139. Epub 2009/09/24.
54. Marti-Valls J, Alonso J, Lamarca R, Pinto JL, Auleda J, Girvent R, et al. [Effectiveness and cost of total hip replacement in seven hospitals in Catalonia, Spain]. *Medicina clinica*. 2000;114 Suppl 2:34-9. Epub 2000/08/05. Efectividad y costes de la intervencion de protesis total de cadera en siete hospitales de Cataluna.

55. Molli RG, Lombardi AV, Jr., Berend KR, Adams JB, Sneller MA. A short tapered stem reduces intraoperative complications in primary total hip arthroplasty. *Clinical orthopaedics and related research*. 2012;470(2):450-61. Epub 2011/10/06.
56. Munk S, Odgaard A, Madsen F, Dalsgaard J, Jorn LP, Langhoff O, et al. Preoperative lateral subluxation of the patella is a predictor of poor early outcome of Oxford phase-III medial unicompartmental knee arthroplasty. *Acta orthopaedica*. 2011;82(5):582-8. Epub 2011/09/08.
57. Nilsson AK, Aurell Y, Siosteen AK, Lohmander LS, Roos HP. Radiographic stage of osteoarthritis or sex of the patient does not predict one year outcome after total hip arthroplasty. *Annals of the rheumatic diseases*. 2001;60(3):228-32. Epub 2001/02/15.
58. Nilsson AK, Lohmander LS. Age and waiting time as predictors of outcome after total hip replacement for osteoarthritis. *Rheumatology (Oxford, England)*. 2002;41(11):1261-7. Epub 2002/11/08.
59. Rolfson O, Dahlberg LE, Nilsson JA, Malchau H, Garellick G. Variables determining outcome in total hip replacement surgery. *The Journal of bone and joint surgery British volume*. 2009;91(2):157-61. Epub 2009/02/05.
60. Rooks DS, Huang J, Bierbaum BE, Bolus SA, Rubano J, Connolly CE, et al. Effect of preoperative exercise on measures of functional status in men and women undergoing total hip and knee arthroplasty. *Arthritis and rheumatism*. 2006;55(5):700-8. Epub 2006/10/03.
61. Samson AJ, Mercer GE, Campbell DG. Total knee replacement in the morbidly obese: a literature review. *ANZ journal of surgery*. 2010;80(9):595-9. Epub 2010/09/16.
62. Street J, Lenehan B, Flavin R, Beale E, Murray P. Do pain referral patterns determine patient outcome after total hip arthroplasty? *Acta orthopaedica Belgica*. 2005;71(5):540-7. Epub 2005/11/25.
63. Van Der Straeten C, Grammatopoulos G, Gill HS, Calistri A, Campbell P, De Smet KA. The 2012 Otto Aufranc Award: The interpretation of metal ion levels in unilateral and bilateral hip resurfacing. *Clinical orthopaedics and related research*. 2013;471(2):377-85. Epub 2012/08/30.