

**Supplementary material****Analysis of the Association Between Electrocardiographic P-wave Characteristics and Atrial Fibrillation in the REGICOR Study****TABLE 1 OF THE SUPPLEMENTARY MATERIAL**

Baseline Characteristics of the Participants in the Study According to Their Attendance at the Follow-up Visit

	Attendance at the follow up visit		<i>P</i>
	Yes n = 6424	No n = 2986	
Age, y	52.7 ± 12.4	58.4 ± 14.3	<.001
Sex, % male	46.4	51.5	<.001
SBP, mmHg	126.5 ± 19.6	132.8 ± 21.6	<.001
DBP, mmHg	78.9 ± 10.0	79.3 ± 10.4	.090
Hypertension treatment, %	16.4	26.3	<.001
Glucose level, mg/dL	98.6 ± 22.8	105.4 ± 33.1	<.001
Diabetes treatment, %	3.8	8.1	<.001
LDL cholesterol, mg/dL	136.1 ± 36.4	134.5 ± 37.4	.116
HDL cholesterol, mg/dL	54.3 ± 15.09	53.6 ± 15.5	.289
Triglycerides, mg/dL	107.8 ± 67.5	118.0 ± 75.5	<.001
Cholesterol treatment, %	15.7	20.7	<.001

DBP, diastolic blood pressure; HDL, high-density lipoprotein; LDL, low-density lipoprotein; SBP, systolic blood pressure

Unless otherwise indicated, data are expressed as mean ± standard deviation.

Table 2 of the supplementary material

Pearson Correlation Coefficient Between P-wave Duration and Other Continuous Variables

	Correlation coefficient	<i>P</i>
Heart rate	-0.167	.010
Systolic blood pressure	0.092	.167
Diastolic blood pressure	0.034	.605
Body mass index	0.121	.062

Table 3 of the supplementary material

P-wave Duration in Participants With and Without Comorbidities

Comorbidity	No	Yes	<i>P</i>
Hypertension	123 ± 19	129 ± 20	.020
Hypertension treatment	123 ± 20	130 ± 19	.005
Diabetes	126 ± 20	130 ± 19	.322
Diabetes treatment	126 ± 20	128 ± 19	.616

Values are expressed as the mean ± standard deviation.

Table 4 of the supplementary material

Odds Ratios for Atrial Fibrillation of the Different Electrocardiographic Variables Analyzed (Adjusted for Body Mass Index, Heart Rate and Hypertension; Age- and Sex-matched)

	N (cases- controls)	OR	95%CI	P
P-wave duration (msec)	240	1.013	0.998-1.028	.088
<i>P-wave duration categories</i>				
< 110 msec	49 (5-44)	1		
110-119.9 msec	43 (16-27)	5.628	1.798-17.613	.003
120-129.9 msec	57 (22-35)	4.828	1.612-14.458	.005
≥ 130 msec	91 (37-54)	4.760	1.670-13.567	.003
<i>P-wave morphology</i>				
Normal	92 (21-71)	1		
P-IAB	125 (50-75)	1.755	0.928-3.320	.084
A-IAB	23 (9-14)	1.782	0.645-4.918	.265
IAB, partial or advanced	148 (59-89)	1.759	0.945-3.275	.075
<i>P-wave duration and IAB</i>				
< 110 msec	49 (5-44)	1		
110-119.9 msec	43 (16-27)	5.628	1.796-17.612	.003
≥ 120 msec (P-IAB)	125 (50-75)	4.783	1.722-13.284	.003
≥ 120 msec + A-IAB	23 (9-14)	4.809	1.326-17.437	.017
<i>Advanced vs partial IAB</i>				
≥ 120 msec (P-IAB)	125 (50-75)	1		
≥ 120 + A-IAB	23 (9-14)	1.003	0.387-2.601	.995

95%CI, 95% confidence interval; A-IAB, advanced IAB; IAB, interatrial blocks; OR, odds ratio; P-IAB, partial IAB.

Full Roster of REGICOR Investigators:

i) IMIM (*Instituto Hospital del Mar de Investigaciones Médicas*), Barcelona, Spain

Investigators: Jaume Marrugat, Roberto Elosua, Montserrat Fitó, María Grau, Irene Roman.

Técnicos: Gemma Blanchart, Anna Blasco, Marta Cabañero, Oscar Díaz, Sandra Farré, Yolanda Ferrer, Leny Franco, Sonia Gaixas, David Giménez, Esmeralda Gómez, Saray Heredia, Sílvia Martín, Núria Massegú, Daniel Muñoz, Judith Peñafiel, Isaac Subirana, Susana Tello, Joan Vila, Maria del Mar Vila.

ii) Hospital Universitari de Girona Dr. Josep Trueta, Girona, Spain

Investigators: Joan Sala, Jaime Aboal, Xavier Albert, Daniel Bosch, Rafael Masiá, Gabriel Vázquez

Technician: Isabel Ramió

iii) *Institut d'Investigació en Atenció Primària Jordi Gol (IDIAP Jordi Gol); Unitat d'Investigació en Atenció Primària, Institut Català de Salut (ICS), Institut d' Investigació Biomèdica de Girona (IdIBGi)*, Girona, Spain

Investigators: Rafel Ramos, Carlos Cerezo, Ferran Cordón, Ruth Martí, Pascual Solanas

Technicians: Bruna Camps, Monti Piqué, Martina Sidera, Anna Torrens

iv) *Direcció General de Planificació i Avaluació, Servei d'Informació i Estudis, Regió Sanitària de Girona; Departament de Salut, Generalitat de Catalunya*, Girona, Spain

Investigators: Ricard Tresserras, Rosa Gispert, Anna Puigdefàbregas, Glòria Ribas, M^a Teresa Faixeda

v) *Corporació de Salut del Maresme i La Selva*, Hospital de Blanes, Blanes, Girona, Spain

Investigators: Núria Constans, Rita Massa, Guillermo Paluzie, Mariona Vendrell, Alberto Zamora

vi) *Serveis de Saluts Integrats, Baix Empordà, Hospital de Palamós*, Palamós, Girona, Spain

Investigators: Feliu Antúnez, Francina Bassó, Jordi Corderch, José M^a Inoriza, Angels Massabeu

vii) *Fundació Privada Hospital Sant Jaume de Olot*, Olot, Girona, Spain

Investigators: Mariona Barcons, Josep Bisbe, Pere Cortés, Rosa Piulats

viii) *Hospital General de Santa Caterina (Girona), Institut d'Assistència Sanitària*

Investigador: Jose Carlos Guerra

ix) *Hospital de Figueres, Fundació Salut Empordà*, Figueres, Girona, Spain

Investigators: José Cucurull, Marco Paz, Montse Saguer, Pere Tomàs, Manel Vicente

x) *Clínica Girona*, Girona, Spain

Investigators: Alfons Bonet, Núria Porcar

xi) Cross-sectional studies: Júlia Alguacil, Joan Ayats, Ernest Belmonte, Montse Capdevila, Marta Carreras, Àngels Carrión, Isabel Cateura, Mary Jane Chu, Albert Clarà, Sara Colom, Juan Antonio de los Cobos, Montserrat Fauria, M^a José Gámez, Emma García, Anna García-Elías, Gemma Hidalgo, Carme Jiménez, Anna Julià, Mireia Juncà, Dolors Juvinyà, Olga Levy, Roser Mas, Judit Mir, Fernando Montesinos, Assumpte Ortiz, Núria Pagès, Araceli Pena, Anna Planas, Mireia Ponsà, Núria Puig, Ariadna Puignau, Anna Rafols, Martina Sidera, Isabel Soler, Anna Triadó, Isabel Turró