

SUPPLEMENTARY MATERIAL

Table of the supplementary material.


Comparison With AMI-ECMO and ENCOURAGE Population

	AMI-ECMO (n = 145)	ENCOURAGE (n = 138)
Age, y	66	55
Male	110 (76)	110 (78)
Hypertension	77 (53)	38 (28)
Diabetes mellitus	79 (55)	23 (17)
Hyperlipidemia	22 (15)	38 (28)
Body mass index, kg/m ²	24 [22-26]	26 [24-29]
ST-segment elevation myocardial infarction	97 (67)	123 (89)
Glasgow coma score	15 [3-15]	6 [3-14]
Left ventricular ejection fraction, %	30 [25-40]	20 [15-25]
Lactic acid, mmol/L	5.8 [2.8-10.3]	4.1 [2.1-8.2]
Successful revascularization	117 (81)	99 (72)
Anterior wall infarction	99 (68)	93 (67)
Vasopressor	137 (95)	138 (100)
Mechanical ventilation	133 (92)	134 (97)
Continuous renal replacement therapy	47 (32)	63 (46)
Limb ischemia	14 (10)	15 (11)
Bleeding	35 (24)	17 (12)

Values are expressed as median [interquartile range] or No. (%).

ECMO, extracorporeal membrane oxygenation.

Figure of the supplementary material. Correlation Among AMI-ECMO, ENCOURAGE, and SAVE Score.



The correlation between AMI-ECMO and ENCOURAGE scores, and between AMI-ECMO and SAVE scores are presented. AMI, acute myocardial infarction; ECMO, extracorporeal membrane oxygenation