

SUPPLEMENTARY DATA

TABLE OF CONTENTS

Figure 1 of the supplementary data

HOPE Participating hospitals


Principal investigators, per center

Scientific committee

Collaborators.

Figure 1 of the supplementary data

Standardized differences and distribution of propensity scores



HOPE Participating hospitals and valid recruitment (interim cutoff, included in the present analysis), updated on April 3, 2020

	Hospital	City	Country	Valid recruitment, April 3, 2020
1	San Carlo Clinic	Milan	Italy	-
2	Hospital Clínico Universitario de Valladolid	Valladolid	Spain	97
3	London Health Sciences Centre	London	Canada	-
4	Hospital IMED Valencia	Valencia	Spain	3
5	Ospedali Riuniti "Umberto I - Lancisi - Salesi"	Ancona	Italy	1
6	Institute of Cardiology and Cardiovascular Surgery	Havana	Cuba	-
7	Hospital Clínico Universitario Virgen de la Victoria	Malaga	Spain	115
8	Complejo hospitalario de Toledo	Toledo	Spain	2
9	San Giovanni Battista	Torino	Italy	7
10	Policlinico A. Gemelli IRCSS	Rome	Italy	1
11	Hospital Nuestra Señora de América	Madrid	Spain	53
12	Policlinico Umberto I	Rome	Italy	-
13	University Medical Center Mannheim	Mannheim	Germany	102*
14	The Third People's Hospital of Shenzhen	Shenzhen	China	-
15	Centro Cardiologico Monzino, IRCCS	Milan	Italy	46

Uribarri, et al. Atrial fibrillation in patients with COVID-19. Usefulness of the CHA2DS2-VASc score: an analysis of the international HOPE COVID-19 registry

16	Complejo Hospitalario Universitario de Santiago de Compostela	Santiago de Compostela	Spain	41
17	Hospital Universitario Guadalajara	Guadalajara	Spain	49
18	Hospital Clínico de Valencia	Valencia	Spain	1
19	Hospital Clínico San Carlos	Madrid	Spain	371
20	Hospital Severo Ochoa	Leganés	Spain	56
21	Hospital Joan XXIII	Tarragona	Spain	2
22	San Luigi Gonzaga University Hospital, Orbassano and Rivoli Infermi Hospital, Rivoli	Turin	Italy	11
23	Hospital General del norte de Guayaquil IESS Los Ceibos	Guayaquil	Ecuador	11
24	Hospital Clínico Universitario Virgen de la Arrixaca	Murcia	Spain	1
25	Hospital Virgen del Mar	Madrid	Spain	9
26	Azienda ospedaliero-universitaria consorziale policlinico di Bari	Bari	Italy	22
27	Hospital Universitario Getafe	Madrid	Spain	19
28	University Hospital Álvaro Cunqueiro	Vigo	Spain	1
29	Hospital Universitario La Paz	Madrid	Spain	-
30	Martini Hospital, via Tofane, Turin.	Turin	Italy	-
31	San Giovanni Bosco, ASL Città di Torino, Turin, Italy	Turin	Italy	-

* 6 were treated as inpatients, the rest as outpatients.

First and second principal investigators

Name	Surname	Center	City	Country
Bernardo	Cortese	San Carlo Clinic	Milan	Italy
Aitor	Uribarri	Hospital Clínico Universitario de Valladolid	Valladolid	Spain
Rodrigo	Bagur	London Health Sciences Centre	London	Canada
Oscar	Fabregat-Andres	Hospital IMED Valencia	Valencia	Spain
Federico	Guerra	Ospedali Riuniti "Umberto I - Lancisi - Salesi"	Ancona	Italy
Emilio	Alfonso	Institute of Cardiology and Cardiovascular Surgery	Havana	Cuba
Victor Manuel	Becerra-Muñoz	Hospital Clínico Universitario Virgen de la Victoria	Malaga	Spain
Daniela	Trabattoni	Centro Cardiologico Monzino, IRCCS	Milan	Italy
Jose	Moreu	Complejo hospitalario de Toledo	Toledo	Spain
Fabrizio	D'Ascenzo	San Giovanni Battista	Turin	Italy
Danilo	Buosenso	Policlinico A. Gemelli IRCCS	Rome	Italy
Gisela	Feltes Guzman	Hospital Nuestra Señora de América	Madrid	Spain
Massimo	Mancone	Policlinico Umberto I	Rome	Italy
Ibrahim	El-Battrawy	University Medical Center Mannheim	Mannheim	Germany
Jia	Huang	The Third People's Hospital of Shenzhen	Shenzhen	China
Javier	Lopez-Pais	Complejo Hospitalario Universitario de Santiago de Compostela	Santiago de Compostela	Spain
María C.	Viana-LLamas	Hospital Universitario Guadalajara	Guadalajara	Spain
Jaime	Signes-Costa	Hospital Clínico de Valencia	Valencia	Spain
Vicente	Estrada	Hospital Clínico San Carlos	Madrid	Spain
Inmaculada	Fernández Rozas	Hospital Severo Ochoa	Leganés	Spain
Alfredo	Bardají	Hospital Joan XXIII	Tarragona	Spain
Enrico	Cerrato	San Luigi Gonzaga University Hospital, Orbassano and Rivoli Infermi Hospital, Rivoli (Turin), Italy	Turin	Italy
Alex Fernando	Castro-Mejía	Hospital General del norte de Guayaquil IESS Los Ceibos	Guayaquil	Ecuador

Uribarri, et al. Atrial fibrillation in patients with COVID-19. Usefulness of the CHA2DS2-VASc score: an analysis of the international HOPE COVID-19 registry

Francisco	Marín	Hospital Clínico Universitario Virgen de la Arrixaca	Murcia	Spain
Thamar	Capel Astrua	Hospital Virgen del Mar	Madrid	Spain
Martino	Pepe	Azienda ospedaliero-universitaria consorziale policlinico di Bari	Bari	Italy
Rodolfo	Romero	Hospital Universitario Getafe	Madrid	Spain
Sergio	Raposeiras Roubin	University Hospital Álvaro Cunqueiro	Vigo	Spain
Charbel	Maroun Eid	Hospital Universitario La Paz	Madrid	Spain
Maurizio	Bertaina	Martini Hospital, via Tofane, Turin.	Turin	Italy
Mario	Iannaccone	San Giovanni Bosco, ASL Città di Torino, Turin, Italy	Turin	Italy
Gaetano	Di Palma	San Carlo Clinic	Milan	Italy
Álvaro	Aparisi	Hospital Clínico Universitario de Valladolid	Valladolid	Spain
Antonio	Dello Russo	Ospedali Riuniti "Umberto I - Lancisi - Salesi"	Ancona	Italy
Juan Jose	Gomez-Doblas	Hospital Clínico Universitario Virgen de la Victoria	Malaga	Spain
Massimo	Mapelli	Centro Cardiologico Monzino, IRCCS	Milan	Italy
Davide	Pata	Policlinico A. Gemelli IRCCS	Rome	Italy
Asunción	Guerra	Hospital Nuestra Señora de América	Madrid	Spain
Fabio	Infusino	Policlinico Umberto I	Rome	Italy
Ibrahim	Akin	University Medical Center Mannheim	Mannheim	Germany
Lei	Liu	The Third People's Hospital of Shenzhen	Shenzhen	China
José María	García-Acuña	Complejo Hospitalario Universitario de Santiago de Compostela	Santiago de Compostela	Spain
Ramón	Arroyo-Espliguero	Hospital Universitario Guadalajara	Guadalajara	Spain
Carmen	Castellanos Lluch	Hospital Clínico de Valencia	Valencia	Spain
Angel	Molino	Hospital Clínico San Carlos	Madrid	Spain
Matteo	Bianco	San Luigi Gonzaga University Hospital, Orbassano (Turin), Italy	Turin	Italy
María Elizabeth	Ortega Armas	Hospital General del norte de Guayaquil IESS Los Ceibos	Guayaquil	Ecuador

Uribarri, et al. Atrial fibrillation in patients with COVID-19. Usefulness of the CHA2DS2-VASc score: an analysis of the international HOPE COVID-19 registry

Elisa	García-Vazquez	Hospital Clínico Universitario Virgen de la Arrixaca	Murcia	Spain
Chinh	Pham Trung	Hospital Virgen del Mar	Madrid	Spain
Gaetano	Brindicci	Azienda ospedaliero-universitaria consorziale policlinico di Bari	Bari	Italy
Edoardo	Manzone	Hospital Universitario Getafe	Madrid	Spain
Karim	Jamhour Chelh	University Hospital Álvaro Cunqueiro	Vigo	Spain
Lubna	Dani Ben Abdellah	Hospital Universitario La Paz	Madrid	Spain
Fabio	De Iaco	Martini Hospital, via Tofane, Turin.	Turin	Italy
Giacomo	Bocuzzi	San Giovanni Bosco, ASL Città di Torino, Turin, Italy	Turin	Italy

Scientific committee

NameE	Affiliation	County
Iván J Núñez-Gil	Hospital Clínico San Carlos, Madrid	Spain
Carlos Macaya	Hospital Clínico San Carlos, Madrid	Spain
Asunción Guerri	Hospital Nuestra Señora de América, Madrid	Spain
Charles Lefranc	Hospital Nuestra Señora de América, Madrid	Spain
David Orgaz	Primary Care, Madrid	Spain
Enma Gil Higes	Primary Care, Madrid	Spain
Juan Conesa	Hospital Clínico San Carlos, Madrid	Spain
Antonio Fernandez Ortiz	Hospital Clínico San Carlos, Madrid	Spain
Harish Ramakhrisna	Mayo Clinic, Rochester	United States
Julio Jimenez	SUMMA 112, Madrid	Spain
Vanessa Garcia de Biedma	Hospital Universitario de Fuenlabrada	Spain
Ruth Sendino	Primary Care, Vitoria	Spain
Gisela Feltes	Hospital Nuestra Señora de América, Madrid	Spain
Sergio Raposeiras	Hospital Álvaro Cunqueiro, Vigo	Spain
Giusseppe Biondi Zoccai	Sapienza University of Rome, Latina, Italy	Italy
Angel Molino	Hospital Clínico San Carlos, Madrid	Spain
Cristina Fernandez	Hospital Clínico San Carlos, Madrid	Spain
Vicente Estrada	Hospital Clínico San Carlos, Madrid	Spain
Fabrizio D'Ascenzo	Città della Salute e della Scienza, Turin	Italy
Enrico Cerrato	San Luigi Gonzaga University Hospital, Orbassano and Rivoli Infermi Hospital, Rivoli (Turin), Italy	Italy
F. Javier Martin-Sanchez	Hospital Clínico San Carlos, Madrid	Spain

Collaborators (April 3, 2020).

Center	City	Country	Name
San Carlo Clinic	Milan	Italy	
Hospital Clínico Universitario de Valladolid	Valladolid	Spain	
London Health Sciences Centre	London	Canada	
Hospital IMED Valencia	Valencia	Spain	
Ospedali Riuniti "Umberto I - Lancisi - Salesi"	Ancona	Italy	Giulia Stronati
Institute of Cardiology and Cardiovascular Surgery	Havana	Cuba	Emilio Alfonso Giselle López
Hospital Clínico Universitario Virgen de la Victoria	Malaga	Spain	Eva Cabrera-Cesar Belén Murcia-Casas Álvaro Martínez-Mesa Esther Sánchez-Álvarez Victoria Doncel-Abad Pilar Nuevo-Ortega Carmen Pérez-López Guillermo Ojeda-Burgos Javier Sánchez-Lora Jesús Santos-González
Centro Cardiologico Monzino, IRCCS	Milan	Italy	Francesca Susini Giulia Santagostino Sebastiano Gili Giovanni Teruzzi Massimo Mapelli Ricardo Maragna Irene Mattavelli Elisabetta Salvioni

Uribarri, et al. Atrial fibrillation in patients with COVID-19. Usefulness of the CHA2DS2-VASc score: an analysis of the international HOPE COVID-19 registry

Complejo Hospitalario de Toledo	Toledo	Spain	Tomás Canton Esther Lázaro Luis Manuel Hernando Luis Fernando Pajín
San Giovanni Battista	Torino	Italy	Ovidio De Filippo Guglielmo Gallone Francesco Bruno Gaetano Maria De Ferrari Luca Franchin Filippo Angelini Pierluigi Omedé Federico Conrotto Mauro Pennone Antonio Montefusco
Policlinico A. Gemelli IRCSS	Rome	Italy	Davide Pata Danilo Buosenso Piero Valentini Antonio Gatto Antonio Chiaretti
Hospital Nuestra Señora de América	Madrid	Spain	Carmen Díaz Sánchez José Luis Moreno Hurtrez Charles Lefranc María Luisa Sheriff Prosper.
Policlinico Umberto I	Rome	Italy	Ilaria Birtolo Paolo Severino Francesco Pugliese Francesco Fedele Gabriella d'Ettorre Giacchino Galardo Claudio Maria Mastroianni Nicola Salvi

			Sara Cimino Carlo Lavallo
University Medical Center Mannheim	Mannheim	Germany	Ibrahim El-Battrawy Mohammad Abumayyaleh Ibrahim Akin.
The Third People's Hospital of Shenzhen	Shenzhen	China	Fulan Cen Song Wang Manfei Zeng Liping Qiu Fangfan Ye Yajing Huang
Complejo Hospitalario Universitario de Santiago de Compostela	Santiago de Compostela	Spain	Diego López-Otero Taboada Muñiz
Hospital Universitario Guadalajara	Guadalajara	Spain	
Hospital Clínico de Valencia	Valencia	Spain	María Jose Forner Vicente Bodi Elvira Bondia Paloma Albiol Nerea Perez-Solé Alba Mulet Ana de Gracia Lucía Fernández-Presa Clara Bonanad Joaquín Canoves
Hospital Clínico San Carlos	Madrid	Spain	Oscar Vedia Carlos Vergara Víctor Hugo Moreno Munguía Francisco Javier Martin José Tomás Ramos Miriam de La Puente Yague Juana María Brenes Sánchez

Uribarri, et al. Atrial fibrillation in patients with COVID-19. Usefulness of the CHA2DS2-VASc score: an analysis of the international HOPE COVID-19 registry

			Inés Gil Prados Isabel Fernández María Arantzazu Álvarez de Arcaya María Ángeles Cuadrado Carlos Elvira Andrea Valcárcel Alonso, María del Rosario Iguaran Bermúdez, Carmen Blasco-Fanlo Cristina Villamor Jimenez, Cristina Botella Moreno, Ernesto Mora Fernández Jesús Jacob Carlos Ignacio Garcia-Asenjo Carmen Cuervo Molinero Iñigo Sagastagoitia Fornie Federico Cuesta Triana Juncal Perez- Somarriba Angel Nieto Sánchez Lara, Guardado Fuentes
Hospital Severo Ochoa	Leganés	Spain	María Molina
Hospital Joan XXIII	Tarragona	Spain	
San Luigi Gonzaga University Hospital, Orbassano and Rivoli Infermi Hospital, Rivoli (Turin), Italy	Turin	Italy	Amanda Spirito Flavio Pietrangiollillo Salvatore Campagnuolo
Hospital General del norte de Guayaquil IESS Los Ceibos	Guayaquil	Ecuador	Erick Alexander Jara León Galo Guillermo Farfán Cano Fernando Aníbal Marmol Mosquera Luis Alfonso Moreno Rondón Diego Raúl Villavicencio García Eric Antonio Álava Montesdeoca José Luis Rodríguez Campos

Uribarri, et al. Atrial fibrillation in patients with COVID-19. Usefulness of the CHA2DS2-VASc score: an analysis of the international HOPE COVID-19 registry

Hospital Clínico Universitario Virgen de la Arrixaca	Murcia	Spain	Jose Miguel Rivera-Caravaca Pablo Gil-Pérez Cecilia López-García Domingo Pascual-Figal Antonio Tello-Montoliu Encarnación Moral Escudero Alicia Hernández Torres Aychel Elena Roura Piloto
Hospital Virgen del Mar	Madrid	Spain	Oriol Casals Rafecas Victoria Márquez Fernández María Jesús González Juárez Ada Viviana Romero Echeverry Paola Tatiana García Giraldo Carlos de la Fuente Gutiérrez Manuel Montes Lluch María Eugenia García Ramírez Joaquín Solís Jiménez Reina García Closas
Azienda ospedaliero-universitaria consorziale policlinico di Bari	Bari	Italy	Palma Luisa Nestola Maria Grazia Carmela La Marca Gioacchino Angarano Annalisa Saracino Onofrio Resta Giovanna Elisiana Carpagnano Enrico Buonamico Salvatore Grasso Lidia Dalfino Rachele Iannuzziello
Hospital Universitario Getafe	Madrid	Spain	Virginia Álvarez Silvia Bleda Silvia Odeh

Uribarri, et al. Atrial fibrillation in patients with COVID-19. Usefulness of the CHA2DS2-VASc score: an analysis of the international HOPE COVID-19 registry

			Gema Núñez María Isabel Ortega Joaquín Jesús Alonso Alfonso Fraile
University Hospital Álvaro Cunqueiro	Vigo	Spain	Emad Abu-Assi Andrés Iñiguez Romo Dolores Vila María Teresa Pérez Rodríguez Alexandre Pérez
Hospital Universitario La Paz	Madrid	Spain	María Angélica Rivera Núñez Clara Cabre-Verdiell Surribas Victoria Lo Iacono García Rosario Torres Santos Olmo Berta Antón Huguet Isabel Arenas Berenguer Berta Alonso González Begoña Reche Martínez Mikel Rico Brías Lorena López Corcuera
Martini Hospital, via Tofane, Turin.	Turin	Italy	Francesco Fioravanti Luca Franchin
San Giovanni Bosco, ASL Città di Torino, Turin, Italy	Turin	Italy	Umberto Annone