

Anexo 3 del material adicional

Referencias de los artículos incluidos en la revisión

Aroxa FHD, Gondim ITG, Santos ELW, Coriolano MDG, Asano AGC, Asano NMJ. Acupuncture as Adjuvant Therapy for Sleep Disorders in Parkinson's Disease. *JAMS J Acupunct Meridian Stud.* 2017;10:33-8.

Chae Y, Lee H, Kim H, et al. Parsing brain activity associated with acupuncture treatment in Parkinson's diseases. *Mov Disord.* 2009;24:1794-802.

Chen F, Chang C, Shiu J, et al. A clinical study of integrating acupuncture and western medicine in treating patients with Parkinson's disease. *Am J Chin Med.* 2015;43:407-23.

Cho S, Lee Y, Doo K, et al. Efficacy of Combined Treatment with Acupuncture and Bee Venom Acupuncture as an Adjunctive Treatment for Parkinson's Disease. *J Altern Complement Med.* 2018;24:25-32.

Cho S, Shim S, Rhee HY, et al. Effectiveness of acupuncture and bee venom acupuncture in idiopathic Parkinson's disease. *Parkinsonism Relat Disord* 2012;18:948-52.

Cristian A, Katz M, Cutrone E, Walker RH. Evaluation of acupuncture in the treatment of Parkinson's disease: A double-blind pilot study. *Mov Disord.* 2005;20:1185-8.

Doo K, Lee J, Cho S, et al. A prospective open-label study of combined treatment for idiopathic Parkinson's disease using acupuncture and bee venom acupuncture as an adjunctive treatment. *J Altern Complement Med.* 2015;21:598-603.

Eng ML, Lyons KE, Greene MS, Pahwa R. Open-label trial regarding the use of acupuncture and Yin Tui Na in Parkinson's disease outpatients: A pilot study on efficacy, tolerability, and quality of life. *J Altern Complement Med.* 2006;12:395-9.

Fukuda S, Egawa M. Effect of acupuncture on gait in Parkinson's disease: A case report. *Acupunct Med.* 2015;33:325-8.

Fukuda S, Kuriyama N, Tsuru H, Egawa M. Immediate effects of acupuncture

on tongue pressure including swallowing reflex latency in Parkinson's disease. *Acupunct Med.* 2016;34:59-61.

Huang Y, Jiang X, Zhuo Y, Tang A, Wik G. Complementary acupuncture treatment increases cerebral metabolism in patients with Parkinson's disease. *Int J Neurosci.* 2009;119:1190-7.

Jang J-H, Park S, An J, et al. Gait Disturbance Improvement and Cerebral Cortex Rearrangement by Acupuncture in Parkinson's Disease: A Pilot Assessor-Blinded, Randomized, Controlled, Parallel-Group Trial. *Neurorehabil Neural Repair.* 2020;34:1111-23.

Kong KH, Ng HL, Li W, et al. Acupuncture in the treatment of fatigue in Parkinson's disease: A pilot, randomized, controlled, study. *Brain Behav.* 2018;8:e00897.

Lei H, Toosizadeh N, Schwenk M, et al. A pilot clinical trial to objectively assess the efficacy of electroacupuncture on gait in patients with Parkinson's disease using body worn sensors. *PLoS One.* 2016;11:e0155613.

Ren X. Fifty cases of Parkinson's disease treated by acupuncture combined with madopar. *J Trad Chin Med.* 2008;28:255-7.

Shulman LM, Wen X, Weiner WJ, et al. Acupuncture therapy for the symptoms of Parkinson's disease. *Mov Disord.* 2002;17:799-802.

Toosizadeh N, Lei H, Schwenk M, et al. Does integrative medicine enhance balance in aging adults? Proof of concept for the benefit of electroacupuncture therapy in Parkinson's disease. *Gerontology.* 2014;61:3-14.

Werth U, Muñoz Gaona A. Comparative study of the efficacy of the usual therapy for Parkinson's disease plus auricular acupuncture and the usual therapy without acupuncture. *Rev Int Acupunt.* 2018;12:5-14.

Xu Y, Cai X, Qu S, et al. Madopar combined with acupuncture improves motor and non-motor symptoms in Parkinson's disease patients: A multicenter randomized controlled trial. *European Journal of Integrative Medicine.* 2020;34:101049.

Yeo S, Choe I, Van den Noort M, et al. Acupuncture on GB34 activates the precentral gyrus and prefrontal cortex in Parkinson's disease. *BMC*

Complement Altern Med. 2014;14:336.

Yeo S, Lim S, Choe I, et al. Acupuncture stimulation on gb34 activates neural responses associated with Parkinson's disease. CNS Neurosci Ther. 2012;18:781-90.

Yeo S, Van den Noort M, Bosch P, Lim S. A study of the effects of 8-week acupuncture treatment on patients with Parkinson's disease. Medicine (Baltimore). 2018;97:e13434.