




























Appendix S1. List of the 719 bird species distributed within Neotropical seasonally dry forests (NSDF) considered in this study. Information about the number of occurrences records and bioclimatic variables set used for model, as well as the values of ROC-Partial test and IUCN category are provide directly for each species in the table.









[illegible]






<i>Parabuteo unicinctus</i> (Temminck, 1824)		Harris's Hawk	LC		3689					1.64 ± 0.02
Rostrhamus (Lesson, 1830)										
<i>Rostrhamus sociabilis</i> (Vieillot, 1817)		Snail Kite	LC		4134					1.39 ± 0.02
Rupornis (Kaup, 1844)										
<i>Rupornis magnirostris</i> (Gmelin, JF, 1788)		Roadside Hawk	LC		12498					1.29 ± 0.01
Spizaetus (Vieillot, 1816)										
<i>Spizaetus melanoleucus</i> (Vieillot, 1816)		Black-and-white Hawk-eagle	LC		1361					1.43 ± 0.02
<i>Spizaetus ornatus</i> (Daudin, 1800)		Ornate Hawk-eagle	NT		1279					1.44 ± 0.03
<i>Spizaetus tyrannus</i> (zu Wied-Neuwied, 1820)		Black Hawk-eagle	LC		1635					1.38 ± 0.03
CATHARTIDAE										
Cathartes (Illiger, 1811)										
<i>Cathartes aura</i> (Linnaeus, 1758)		Turkey Vulture	LC		850					1.61 ± 0.03
<i>Cathartes burrovianus</i> Cassin, 1845		Lesser Yellow-headed Vulture	LC		3609					1.36 ± 0.01
Coragyps (Le Maout, 1853)										
<i>Coragyps atratus</i> (Bechstein, 1793)		American Black Vulture	LC		3412					1.43 ± 0.02
Sarcoramphus (Duméril, 1805)										
<i>Sarcoramphus papa</i> (Linnaeus, 1758)		King Vulture	LC		2744					1.28 ± 0.02
ANSERIFORMES										
ANATIDAE										
Anas (Linnaeus, 1758)										
<i>Anas bahamensis</i> Linnaeus, 1758		White-cheeked Pintail	LC		1574					1.55 ± 0.02
Cairina (Fleming, 1822)										
<i>Cairina moschata</i> (Linnaeus, 1758)		Muscovy Duck	LC		4150					1.38 ± 0.01
Dendrocygna (Swainson, 1837)										
<i>Dendrocygna arborea</i> (Linnaeus, 1758)		West Indian Whistling-duck	VU		179					1.25 ± 0.10
<i>Dendrocygna autumnalis</i> (Linnaeus, 1758)		Black-bellied Whistling-duck	LC		3363					1.65 ± 0.02
<i>Dendrocygna bicolor</i> (Vieillot, 1816)		Fulvous Whistling-duck	LC	x	2223					1.54 ± 0.02
<i>Dendrocygna viduata</i> (Linnaeus, 1766)		White-faced Whistling-duck	LC	x	2258					1.51 ± 0.02
Netta (Kaup, 1829)										
<i>Netta erythrophthalma</i> (zu Wied-Neuwied, 1833)		Southern Pochard	LC	x	67					1.85 ± 0.01
Nomonyx (Ridgway, 1880)										
<i>Nomonyx dominicus</i> (Linnaeus, 1766)		Masked Duck	LC		642					1.32 ± 0.05
ANHIMIDAE										
Chauna (Illiger, 1811)										
<i>Chauna chavaria</i> (Linnaeus, 1766)		Northern Screamer	NT	x	151					1.68 ± 0.08
APODIFORMES										
APODIDAE										
Chaetura (Stephens, 1826)										
<i>Chaetura vauxi</i> (Townsend, 1839)		Vaux's Swift	LC	x	8392					1.61 ± 0.01
Cypseloides (Streubel, 1848)										
<i>Cypseloides niger</i> (Gmelin, JF, 1789)		Black Swift	VU		2681					1.61 ± 0.02
<i>Cypseloides storeri</i> Navarro, Peterson, Escalante & Benitez, 1992		White-fronted Swift	DD		9					p *
Panyptila (Cabanis, 1847)										
<i>Panyptila sanctihieronymi</i> Salvin, 1863		Great Swallow-tailed Swift	LC	x	145					1.61 ± 0.10

Streptoprocne (Oberholser, 1906)											
<i>Streptoprocne rutila</i> (Vieillot, 1817)					Chestnut-collared Swift	LC		1572			1.65 ± 0.02
<i>Streptoprocne semicollaris</i> (DeSaussure, 1859)					White-naped Swift	LC	x	189			1.57 ± 0.08
<i>Streptoprocne zonaris</i> (Shaw, 1796)					White-collared Swift	LC		5403			1.54 ± 0.01
Tachornis (Gosse, 1847)											
<i>Tachornis furcata</i> (Sutton, 1928)					Pygmy Swift	LC	x	17			1.71 ± 0.01
<i>Tachornis phoenicobia</i> Gosse, 1847					Antillean Palm-swift	LC		616			1.21 ± 0.05
TROCHILIDAE											
Agelaiocercus (Zimmer, 1930)											
<i>Agelaiocercus berlepschi</i> (Hartert, 1898)					Venezuelan Sylph	EN		12			p *
Amazilia (Lesson, 1843)											
<i>Amazilia beryllina</i> (Deppe, 1830)					Berylline Hummingbird	LC	x	1232			1.63 ± 0.03
<i>Amazilia candida</i> (Bourcier & Mulsant, 1846)					White-bellied Emerald	LC		933			1.33 ± 0.03
<i>Amazilia cyanocephala</i> (Lesson, R, 1830)					Azure-crowned Hummingbird	LC		785			1.66 ± 0.04
<i>Amazilia cyanura</i> Gould, 1859					Blue-tailed Hummingbird	LC	x	160			1.68 ± 0.08
<i>Amazilia fimbriata</i> (Gmelin, JF, 1788)					Glittering-throated Emerald	LC		1687			1.46 ± 0.02
<i>Amazilia franciae</i> (Bourcier & Mulsant, 1846)					Andean Emerald	LC		421			1.75 ± 0.04
<i>Amazilia luciae</i> (Lawrence, 1868)					Honduran Emerald	EN	x	49			1.54 ± 0.25
<i>Amazilia rutila</i> (Delattre, 1843)					Cinnamon Hummingbird	LC	x	2006			1.64 ± 0.02
<i>Amazilia saucerrottei</i> (Delattre & Bourcier, 1846)					Steely-vented Hummingbird	LC		885			1.56 ± 0.04
<i>Amazilia tobaci</i> (Gmelin, JF, 1788)					Copper-rumped Hummingbird	LC	x	312			1.75 ± 0.06
<i>Amazilia tzacatl</i> (de la Llave, 1833)					Rufous-tailed Hummingbird	LC		3265			1.38 ± 0.02
<i>Amazilia violiceps</i> (Gould, 1859)					Violet-crowned Hummingbird	LC	x	931			1.63 ± 0.02
<i>Amazilia viridifrons</i> (Elliot, DG, 1871)					Green-fronted Hummingbird	LC	x	156			1.54 ± 0.07
<i>Amazilia yucatanensis</i> (Cabot, S, 1845)					Buff-bellied Hummingbird	LC		1274			1.66 ± 0.03
Anthracothorax (Boie, F, 1831)											
<i>Anthracothorax dominicus</i> Linnaeus, 1766					Hispaniolan Mango	LC		470			1.17 ± 0.06
<i>Anthracothorax nigricollis</i> (Vieillot, 1817)					Black-throated Mango	LC		2141			1.40 ± 0.02
<i>Anthracothorax prevostii</i> (Lesson, R, 1832)					Green-breasted Mango	LC		1304			1.59 ± 0.03
Atthis Reichenbach, 1854											
<i>Atthis ellioti</i> Ridgway, 1878					Wine-throated Hummingbird	LC		94			1.77 ± 0.01
<i>Atthis heloisa</i> (Lesson, R & Delattre, 1839)					Bumblebee Hummingbird	LC		268			1.69 ± 0.06
Basilinna (Boie, F, 1831)											
<i>Basilinna leucotis</i> (Vieillot, 1818)					White-eared Hummingbird	LC		558			1.59 ± 0.05
<i>Basilinna xantusii</i> (Lawrence, 1861)					Xantus's Hummingbird	LC	x	38			1.60 ± 0.25
Calliphlox (Boie, 1831)											
<i>Calliphlox amethystina</i> (Boddaert, 1783)					Amethyst Woodstar	LC		447			1.34 ± 0.05
Calothorax (G.R. Gray, 1840)											
<i>Calothorax lucifer</i> (Swainson, 1827)					Lucifer Hummingbird	LC		428			1.41 ± 0.06
<i>Calothorax pulcher</i> Gould, 1859					Beautiful Hummingbird	LC	x	67			1.66 ± 0.14
Calypte (Gould, 1856)											
<i>Calypte costae</i> (Bourcier, 1839)					Costa's Hummingbird	LC		3184			1.65 ± 0.02
Campylopterus (Swainson, 1827)											
<i>Campylopterus curvipennis</i> (Deppe, 1830)					Curve-winged Sabrewing	LC		580			1.67 ± 0.04
<i>Campylopterus ensipennis</i> (Swainson, 1822)					White-tailed Sabrewing	NT	x	27			1.91 ± 0.01
<i>Campylopterus falcatus</i> (Swainson, 1821)					Lazuline Sabrewing	LC		112			1.60 ± 0.13

<i>Campylopterus hemileucurus</i> (Deppe, 1830)	Violet Sabrewing	LC		849					1.49 ± 0.03
<i>Campylopterus pampa</i> (Lesson, R, 1832)	Wedge-tailed Sabrewing	NoData		57					1.54 ± 0.20
<i>Campylopterus rufus</i> (Lesson, R, 1840)	Rufous Sabrewing	LC	x	148					1.71 ± 0.11
Chalybura (Reichenbach, 1854)									
<i>Chalybura buffonii</i> (Lesson, 1832)	White-vented Plumeleteer	LC		631					1.51 ± 0.05
Chlorostilbon (Gould, 1853)									
<i>Chlorostilbon alice</i> (Bourcier & Mulsant, 1848)	Short-tailed Emerald	LC	x	47					1.69 ± 0.21
<i>Chlorostilbon auriceps</i> (Gould, 1852)	Golden-crowned Emerald	LC	x	246					1.63 ± 0.05
<i>Chlorostilbon canivetii</i> (Lesson, R, 1832)	Canivet's Emerald	LC	x	1280					1.39 ± 0.03
<i>Chlorostilbon forficatus</i> Ridgway, 1885	Cozumel Emerald	LC	x	15					1.44 ± 0.01
<i>Chlorostilbon gibsoni</i> (Fraser, 1840)	Red-billed Emerald	LC	x	283					1.52 ± 0.08
<i>Chlorostilbon ricordii</i> (Gervais, 1835)	Cuban Emerald	LC	x	436					1.22 ± 0.06
<i>Chlorostilbon russatus</i> (Salvin & Godman, 1881)	Coppery Emerald	LC	x	26					1.93 ± 0.01
<i>Chlorostilbon swainsonii</i> Lesson, R, 1829	Hispaniolan Emerald	LC		171					1.22 ± 0.10
Chrysolampis (Boie, F, 1831)									
<i>Chrysolampis mosquitus</i> (Linnaeus, 1758)	Ruby-topaz Hummingbird	LC		570					1.43 ± 0.05
Colibri (von Spix, 1824)									
<i>Colibri delphinae</i> (Lesson, R, 1839)	Brown Violet-ear	LC		552					1.77 ± 0.04
<i>Colibri thalassinus</i> (Swainson, 1827)	Green Violet-ear	LC		1518					1.75 ± 0.02
Cynanthus (Swainson, 1827)									
<i>Cynanthus sordidus</i> (Gould, 1859)	Dusky Hummingbird	LC	x	236					1.72 ± 0.07
<i>Cynanthus latirostris</i> Swainson, 1827	Broad-billed Hummingbird	LC	x	1943					1.52 ± 0.02
Doricha (Reichenbach, 1854)									
<i>Doricha enicura</i> (Vieillot, 1818)	Slender Sheartail	LC	x	97					1.80 ± 0.01
<i>Doricha eliza</i> (Lesson, R & Delattre, 1839)	Mexican Sheartail	NT	x	31					1.88 ± 0.01
Eugenes (Gould, 1856)									
<i>Eugenes fulgens</i> (Swainson, 1827)	Magnificent Hummingbird	LC		1223					1.58 ± 0.03
Eupherusa (Gould, 1857)									
<i>Eupherusa cyanophrys</i> Rowley, JS & Orr, 1964	Oaxaca Hummingbird	EN		37					1.94 ± 0.01
<i>Eupherusa poliocerca</i> Elliot, DG, 1871	White-tailed Hummingbird	VU		36					1.49 ± 0.22
<i>Eupherusa eximia</i> (Delattre, 1843)	Stripe-tailed Hummingbird	LC		366					1.53 ± 0.05
Heliomaster (Bonaparte, 1850)									
<i>Heliomaster constantii</i> (Delattre, 1843)	Plain-capped Starthroat	LC	x	830					1.70 ± 0.03
<i>Heliomaster longirostris</i> (Audebert & Vieillot, 1801)	Long-billed Starthroat	LC		1371					1.46 ± 0.02
Hylocharis (Boie, F, 1831)									
<i>Hylocharis cyaneus</i> (Vieillot, 1818)	White-chinned Sapphire	LC		612					1.47 ± 0.05
<i>Hylocharis eliciae</i> (Wetmore, 1967)	Blue-throated Goldentail	LC	x	484					1.57 ± 0.04
Juliamyia (Bonaparte, 1854)									
<i>Juliamyia julie</i> (Bourcier, 1843)	Violet-bellied Hummingbird	LC		221					1.62 ± 0.07
Lampornis (Swainson, 1827)									
<i>Lampornis amethystinus</i> Swainson, 1827	Amethyst-throated Hummingbird	LC		453					1.77 ± 0.04
<i>Lampornis clemenciae</i> (Lesson, R, 1830)	Blue-throated Hummingbird	LC		749					1.48 ± 0.04
<i>Lampornis viridipallens</i> (Bourcier & Mulsant, 1846)	Green-throated Mountain-gem	LC	x	265					1.69 ± 0.07
Lamprolaima (Reichenbach, 1854)									
<i>Lamprolaima rhami</i> (Lesson, R, 1839)	Garnet-throated Hummingbird	LC		200					1.74 ± 0.07
Lepidopyga (Reichenbach, 1855)									

CAPRIMULGIFORMES
CAPRIMULGIDAE

Antrostomus (Bonaparte, 1838)										
<i>Antrostomus arizonae</i> Brewster, 1881	Mexican Whip-poor-will	LC		620					1.63 ± 0.04	
<i>Antrostomus badius</i> Bangs & Peck, 1908	Yucatan Nightjar	LC	x	72					1.71 ± 0.11	
<i>Antrostomus cubanensis</i> Lawrence, 1861	Cuban Nightjar	LC	x	88					1.14 ± 0.11	
<i>Antrostomus ridgwayi</i> Nelson, 1897	Buff-collared Nightjar	LC	x	249					1.58 ± 0.06	
<i>Antrostomus rufus</i> (Boddaert, 1783)	Rufous Nightjar	LC	x	428					1.40 ± 0.04	
Chordeiles (Swainson, 1832)										
<i>Chordeiles nacunda</i> (Vieillot, 1817)	Nacunda Nighthawk	LC		858					1.45 ± 0.02	
Hydropsalis (Wagler, 1832)										
<i>Hydropsalis cayennensis</i> (Gmelin, JF, 1789)	White-tailed Nightjar	LC		439					1.36 ± 0.07	
Lurocalis (Cassin, 1851)										
<i>Lurocalis semitorquatus</i> (Gmelin, JF, 1789)	Short-tailed Nighthawk	LC		860					1.40 ± 0.03	
Nyctidromus (Gould, 1838)										
<i>Nyctidromus albicollis</i> (Gmelin, 1789)	Pauraque	LC		5733					1.34 ± 0.01	

<i>Lepidopyga coeruleogularis</i> (Gould, 1851)	Sapphire-throated Hummingbird	LC		209					1.65 ± 0.09
<i>Lepidopyga goudoti</i> (Bourcier, 1843)	Shining-green Hummingbird	LC	x	235					1.44 ± 0.06
<i>Lepidopyga lilliae</i> Stone, 1917	Sapphire-bellied Hummingbird	CR		14					p *
Leucippus (Bonaparte, 1850)									
<i>Leucippus fallax</i> (Bourcier, 1843)	Buffy Hummingbird	LC	x	122					1.82 ± 0.01
Lophornis (Lesson, R, 1829)									
<i>Lophornis brachylophus</i> Moore, RT, 1949	Short-crested Coquette	CR		9					p *
<i>Lophornis helenae</i> (Delattre, 1843)	Black-crested Coquette	LC		187					1.50 ± 0.06
<i>Lophornis stictolophus</i> Salvin & Elliot, 1873	Spangled Coquette	LC		47					1.65 ± 0.20
Mellisuga (Brisson, 1760)									
<i>Mellisuga helenae</i> Lembeye, 1850	Bee Hummingbird	NT	x	86					1.31 ± 0.17
<i>Mellisuga minima</i> (Linnaeus, 1758)	Vervain Hummingbird	LC		379					1.22 ± 0.06
Phaeochroa (Gould, 1861)									
<i>Phaeochroa cuvierii</i> (Delattre & Bourcier, 1846)	Scaly-breasted Sabrewing	LC		534					1.56 ± 0.05
Phaethornis (Swainson, 1827)									
<i>Phaethornis anthophilus</i> (Bourcier, 1843)	Pale-bellied Hermit	LC	x	346					1.41 ± 0.06
<i>Phaethornis augusti</i> (Bourcier, 1847)	Sooty-capped Hermit	LC		253					1.62 ± 0.08
<i>Phaethornis griseogularis</i> Gould, 1851	Grey-chinned Hermit	LC		234					1.65 ± 0.09
<i>Phaethornis longirostris</i> (Delattre, 1843)	Long-billed Hermit	LC		1172					1.58 ± 0.03
<i>Phaethornis mexicanus</i> Hartert, 1897	Mexican Hermit	LC	x	48					1.84 ± 0.01
<i>Phaethornis striigularis</i> Gould, 1854	Stripe-throated Hermit	LC		1445					1.48 ± 0.03
Polytmus (Brisson, 1760)									
<i>Polytmus guainumbi</i> (Pallas, 1764)	White-tailed Goldenthrroat	LC		412					1.40 ± 0.05
Thalurania (Gould, 1848)									
<i>Thalurania colombica</i> (Bourcier, 1843)	Crowned Woodnymph	LC		905					1.58 ± 0.03
<i>Thalurania ridgwayi</i> (Nelson, 1900)	Mexican Woodnymph	VU	x	42					1.48 ± 0.27
Tilmatura (Reichenbach, 1854)									
<i>Tilmatura dupontii</i> (Lesson, R, 1832)	Sparkling-tailed Woodstar	LC	x	304					1.65 ± 0.08

Nyctiphrynus (Bonaparte, 1857)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
--------------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

COLUMBIFORMES

COLUMBIDAE

Claravis (Oberholser, 1899)

Claravis mondetoura (Bonaparte, 1856)

Claravis pretiosa (Ferrari-Pérez, 1886)

Columbina (von Spix, 1825)

Columbina inca (Lesson, R, 1847)

Columbina minuta (Linnaeus, 1766)

Columbina passerina (Linnaeus, 1758)

Columbina squammata (Lesson, R, 1831)

Columbina talpacoti (Temminck, 1810)

Geotrygon (Gosse, 1847)

Geotrygon chrysia Bonaparte, 1855

Geotrygon montana (Linnaeus, 1758)

Geotrygon violacea (Temminck, 1809)

Leptotila (Swainson, 1837)

Leptotila cassinii Lawrence, 1867

Leptotila jamaicensis (Linnaeus, 1766)

Leptotila plumbeiceps Sclater, PL & Salvin, 1868

Leptotila verreauxi Bonaparte, 1855

Patagioenas (Reichenbach, 1852)

Patagioenas cayennensis (Bonnaterre, 1792)

Patagioenas corensis (Jacquin, 1784)

Patagioenas flavirostris (Wagler, 1831)

Patagioenas inornata (Vigors, 1827)

Patagioenas leucocephala (Linnaeus, 1758)

Patagioenas speciosa (Gmelin, JF, 1789)

Patagioenas squamosa (Bonnaterre, 1792)

Starnoenas (Bonaparte, 1838)

Starnoenas cyanocephala (Linnaeus, 1758)

Zenaida (Bonaparte, 1838)

Zenaida asiatica (Linnaeus, 1758)

Zenaida auriculata (Des Murs, 1847)

Zenaida aurita (Temminck, 1809)

Zentrygon (Banks, Weckstein, Remsen & Johnson, KP, 2013)

Zentrygon albigularis (Sclater, PL, 1858)

Zentrygon linearis (Prévost, 1843)

Maroon-chested Ground-dove

Blue Ground-dove

Inca Dove

Plain-breasted Ground-dove

Common Ground-dove

Scaled Dove

Ruddy Ground-dove

Key West Quail-dove

Ruddy Quail-dove

Violaceous Quail-dove

Grey-chested Dove

Caribbean Dove

Grey-headed Dove

White-tipped Dove

Pale-vented Pigeon

Bare-eyed Pigeon

Red-billed Pigeon

Plain Pigeon

White-crowned Pigeon

Scaled Pigeon

Scaly-naped Pigeon

Blue-headed Quail-dove

White-winged Dove

Eared Dove

Zenaida Dove

White-faced Quail-dove

Lined Quail-dove

LC

LC

LC

LC

LC

LC

LC

LC

LC

LC

LC

LC

LC

LC

LC

LC

LC

NT

NT

LC

LC

EN

LC

LC

LC

LC

LC

82

2353

1973

1607

2414

1947

9855

235

2071

105

558

247

498

10525

4729

186

3017

211

1016

1585

577

54



5282




8963

1148

192

114




MOMOTIDAE										
Eumomota (Sclater, PL, 1858)										
Eumomota superciliosa	(Sandbach, 1837)	Turquoise-browed Motmot	LC	x	1442					1.43 ± 0.02
Hylomanes (Lichtenstein, MHK, 1839)										
Hylomanes momotula	Lichtenstein, MHK, 1839	Tody Motmot	LC		307					1.55 ± 0.05
Momotus (Brisson, 1760)										
Momotus lessonii	Lesson, 1842	Blue-diademed Motmot	LC		1760					1.23 ± 0.03
Momotus mexicanus	Swainson, 1827	Russet-crowned Motmot	LC	x	958					1.63 ± 0.04
Momotus subrufescens	Sclater, PL, 1853	Whooping Motmot	LC	x	497					1.59 ± 0.03
TODIDAE										
Todus (Brisson, 1760)										
Todus angustirostris	Lafresnaye, 1851	Narrow-billed Tody	LC		126					1.18 ± 0.13
Todus multicolor	Gould, 1837	Cuban Tody	LC	x	252					1.11 ± 0.09
Todus subulatus	Gray, GR, 1847	Broad-billed Tody	LC		236					1.13 ± 0.08
CUCULIFORMES										
CUCULIDAE										
Coccyua (Lesson, R, 1830)										
Coccyua pumila	(Strickland, 1852)	Dwarf Cuckoo	LC	x	109					1.28 ± 0.12
Coccyzus (Vieillot, 1816)										
Coccyzus euleri	Cabanis, 1873	Pearly-breasted Cuckoo	LC		78					1.14 ± 0.10
Coccyzus lansbergi	Bonaparte, 1850	Grey-capped Cuckoo	LC	x	65					1.62 ± 0.15
Coccyzus longirostris	(Hermann, 1783)	Hispaniolan Lizard-cuckoo	LC		285					1.33 ± 0.06
Coccyzus melacoryphus	Vieillot, 1817	Dark-billed Cuckoo	LC		1203					1.36 ± 0.03
Coccyzus merlini	d'Orbigny, 1839	Cuban Lizard-cuckoo	LC	x	261					1.37 ± 0.07
Coccyzus minor	(Gmelin, JF, 1788)	Mangrove Cuckoo	LC	x	1480					1.63 ± 0.03
Crotophaga (Linnaeus, 1758)										
Crotophaga ani	Linnaeus, 1758	Smooth-billed Ani	LC		9372					1.34 ± 0.01
Crotophaga major	Gmelin, JF, 1788	Greater Ani	LC		2412					1.38 ± 0.02
Crotophaga sulcirostris	Swainson, 1827	Groove-billed Ani	LC	x	6650					1.53 ± 0.01
Dromococcyx (zu Wied-Neuwied, 1832)										
Dromococcyx pavoninus	Pelzeln, 1870	Pavonine Cuckoo	LC		251					1.56 ± 0.08
Dromococcyx phasianellus	(von Spix, 1824)	Pheasant Cuckoo	LC		538					1.47 ± 0.05
Geococcyx (Wagler, 1831)										
Geococcyx velox	(Wagner, 1836)	Lesser Roadrunner	LC	x	841					1.65 ± 0.03
Morococcyx (Sclater, PL, 1862)										
Morococcyx erythropygus	(Lesson, PA, 1842)	Lesser Ground-cuckoo	LC	x	858					1.62 ± 0.04
Piaya (Lesson, 1830)										
Piaya cayana	(Linnaeus, 1766)	Common Squirrel-cuckoo	LC		9258					1.38 ± 0.01
Tapera (Thunberg, 1819)										
Tapera naevia	(Linnaeus, 1766)	Striped Cuckoo	LC		4076					1.35 ± 0.02
FALCONIFORMES										
FALCONIDAE										
Caracara (Merrem, 1826)										

<i>Caracara cheriway</i> (Jacquin, 1784)	Crested Caracara	LC		10818					1.56 ± 0.01
Falco (Linnaeus, 1758)									
<i>Falco femoralis</i> Temminck, 1822	Aplomado Falcon	LC		3862					1.36 ± 0.02
<i>Falco ruficularis</i> Daudin, 1800	Bat Falcon	LC		3417					1.40 ± 0.02
<i>Falco sparverius</i> Linnaeus, 1758	American Kestrel	LC		3458					1.37 ± 0.02
Herpetotheres (Vieillot, 1817)									
<i>Herpetotheres cachinnans</i> (Linnaeus, 1758)	Laughing Falcon	LC		4897					1.38 ± 0.01
Micrastur (Gray, 1841)									
<i>Micrastur ruficollis</i> (Vieillot, 1817)	Barred Forest-falcon	LC		1492					1.37 ± 0.03
<i>Micrastur semitorquatus</i> (Vieillot, 1817)	Collared Forest-falcon	LC		1913					1.40 ± 0.02
Milvago (von Spix, 1824)									
<i>Milvago chimachima</i> (Vieillot, 1816)	Yellow-headed Caracara	LC		6326					1.40 ± 0.01
GALLIFORMES									
CRACIDAE									
Crax (Linnaeus, 1758)									
<i>Crax alberti</i> Fraser, 1852	Blue-billed Curassow	CR		44					1.81 ± 0.01
<i>Crax daubentoni</i> Gray, GR, 1867	Yellow-knobbed Curassow	NT		37					1.25 ± 0.20
<i>Crax rubra</i> Linnaeus, 1758	Great Curassow	VU		704					1.61 ± 0.04
Ortalis (Merrem, 1786)									
<i>Ortalis columbiana</i> Hellmayr, 1906	Colombian Chachalaca	LC		458					1.60 ± 0.05
<i>Ortalis garrula</i> (von Humboldt, 1805)	Chestnut-winged Chachalaca	LC	x	96					1.65 ± 0.14
<i>Ortalis leucogastra</i> (Gould, 1843)	White-bellied Chachalaca	LC	x	185					1.85 ± 0.04
<i>Ortalis poliocephala</i> (Wagler, 1830)	West Mexican Chachalaca	LC	x	523					1.57 ± 0.05
<i>Ortalis ruficauda</i> Jardine, 1847	Rufous-vented Chachalaca	LC	x	513					1.37 ± 0.06
<i>Ortalis vetula</i> (Wagler, 1830)	Plain Chachalaca	LC		2004					1.53 ± 0.02
<i>Ortalis wagleri</i> Gray, GR, 1867	Rufous-bellied Chachalaca	LC	x	300					1.67 ± 0.07
Pauxi (Temminck, 1813)									
<i>Pauxi pauxi</i> (Linnaeus, 1766)	Helmeted Curassow	EN		27					1.80 ± 0.01
Penelope (Merrem, 1786)									
<i>Penelope argyrotis</i> (Bonaparte, 1856)	Band-tailed Guan	LC		110					1.83 ± 0.09
<i>Penelope purpurascens</i> Wagler, 1830	Crested Guan	LC		1147					1.43 ± 0.03
Penelopina (Reichenbach, 1861)									
<i>Penelopina nigras</i> (Fraser, 1852)	Highland Guan	VU		254					1.56 ± 0.08
PHASIANIDAE									
Meleagris (Linnaeus, 1758)									
<i>Meleagris ocellata</i> Cuvier, 1820	Ocellated Turkey	NT		308					1.42 ± 0.07
ODONTOPHORIDAE									
Callipepla (Wagler, 1832)									
<i>Callipepla douglasii</i> (Vigors, 1829)	Elegant Quail	LC	x	342					1.76 ± 0.06
Colinus (Goldfuss, 1820)									
<i>Colinus cristatus</i> (Linnaeus, 1766)	Crested Bobwhite	LC	x	1568					1.55 ± 0.02
<i>Colinus nigrogularis</i> (Gould, 1843)	Black-throated Bobwhite	LC	x	337					1.66 ± 0.06
Cyrtonyx (Gould, 1844)									
<i>Cyrtonyx montezumae</i> (Vigors, 1830)	Montezuma Quail	LC		851					1.62 ± 0.03












	Cyrtonyx ocellatus (Gould, 1837)	Ocellated Quail	VU	x	85		1.71 ± 0.12
GRUIFORMES	Dactylortyx (Ogilvie-Grant, 1893)						
	Dactylortyx thoracicus (Gambel, 1848)	Singing Quail	LC	x	335		1.59 ± 0.07
	Philortyx (Gould, 1846)						
	Philortyx fasciatus (Gould, 1844)	Banded Quail	LC	x	213		1.43 ± 0.08
RALLIDAE							
	Aramides (Pucheran, 1845)						
	Aramides albiventris Lawrence, 1868	Russet-naped Wood-Rail	NoData		730		1.43 ± 0.03
	Aramides axillaris Lawrence, 1863	Rufous-necked Wood-rail	LC	x	74		1.47 ± 0.17
	Aramides cajaneus (Statius Müller, PL, 1776)	Grey-necked Wood-rail	LC		2956		1.30 ± 0.02
	Laterallus (Gray, GR, 1855)						
	Laterallus albigularis (Lawrence, 1861)	White-throated Crake	LC		701		1.49 ± 0.04
	Laterallus ruber (Sclater, PL & Salvin, 1860)	Ruddy Crake	LC		598		1.40 ± 0.05
	Neocrex (Sclater, PL & Salvin, 1869)						
	Neocrex erythropus (Sclater, PL, 1867)	Paint-billed Crake	LC		103		1.41 ± 0.11
	Pardirallus (Bonaparte, 1856)						
	Pardirallus maculatus (Boddaert, 1783)	Spotted Rail	LC		374		1.33 ± 0.06
	Pardirallus nigricans (Vieillot, 1819)	Blackish Rail	LC		661		1.67 ± 0.04
	Porzana (Vieillot, 1816)						
	Porzana albicollis (Vieillot, 1819)	Ash-throated Crake	LC		679		1.41 ± 0.04
	Porzana flaviventer (Boddaert, 1783)	Yellow-breasted Crake	LC		108		1.37 ± 0.11
	Rallus (Linnaeus, 1758)						
	Rallus longirostris Boddaert, 1783	Mangrove Rail	LC	x	636		1.69 ± 0.15
	Rallus obsoletus Ridgway, 1874	Ridgway's Rail	NT		325		1.72 ± 0.07
	Rallus tenuirostris Ridgway, 1874	Mexican Rail	NT	x	45		1.52 ± 0.23
	Rallus wetmorei Zimmer, JT & Phelps, 1944	Plain-flanked Rail	EN		9		p *
ARDEIDAE							
	Ardea (Linnaeus, 1758)						
	Ardea alba egretta Linnaeus, 1758	Great White Egret	LC		5286		1.34 ± 0.01
	Ardea cocoi Linnaeus, 1766	Cocoi Heron	LC		4934		1.32 ± 0.01
	Butorides (Blyth, 1852)						
	Butorides striata (Linnaeus, 1758)	Green-backed Heron	LC		5052		1.34 ± 0.01
	Butorides virescens (Linnaeus, 1758)	Green Heron	LC		2043		1.67 ± 0.03
	Ixobrychus (Billberg, 1828)						
	Ixobrychus involucris (Vieillot, 1823)	Stripe-backed Bittern	LC		276		1.66 ± 0.06
	Tigrisoma (Swainson, 1827)						
	Tigrisoma lineatum (Boddaert, 1783)	Rufescent Tiger-heron	LC		2496		1.27 ± 0.02
	Tigrisoma mexicanum Swainson, 1834	Bare-throated Tiger-heron	LC	x	1633		1.64 ± 0.02
PHALACROCORACIDAE							
	Phalacrocorax (Brisson, 1760)						
	Phalacrocorax brasilianus (Gmelin, JF, 1789)	Neotropical Cormorant	LC		20063		1.30 ± 0.01

THRESKIORNITHIDAE									
Eudocimus (Wagler, 1832)									
Eudocimus albus	(Linnaeus, 1758)	White Ibis	LC		6526				1.67 ± 0.01
Eudocimus ruber	(Linnaeus, 1758)	Scarlet Ibis	LC		641				1.65 ± 0.04
Mesembrinibis (Peters, JL, 1930)									
Mesembrinibis cayennensis	(Gmelin, JF, 1789)	Green Ibis	LC		1709				1.35 ± 0.02
Phimosus (Wagler, 1832)									
Phimosus infuscatus	(Lichtenstein, MHK, 1823)	Bare-faced Ibis	LC		2964				1.49 ± 0.02
Theristicus (Wagler, 1832)									
Theristicus caudatus	(Boddaert, 1783)	Buff-necked Ibis	LC	x	1994				1.45 ± 0.02
PODICIPEDIFORMES									
PODICIPEDIDAE									
Tachybaptus (Reichenbach, 1853)									
Tachybaptus dominicus	(Linnaeus, 1766)	Least Grebe	LC		3691				1.50 ± 0.02
SULIFORMES									
ANHINGIDAE									
Anhinga (Brisson, 1760)									
Anhinga anhinga	(Linnaeus, 1766)	Anhinga	LC		8406				1.51 ± 0.01
PSITTACIFORMES									
PSITTACIDAE									
Amazona (Lesson, 1830)									
Amazona albifrons	(Sparrman, 1788)	White-fronted Amazon	LC	x	1963				1.49 ± 0.02
Amazona auropalliata	(Lesson, 1842)	Yellow-naped Amazon	EN	x	388				1.65 ± 0.04
Amazona autumnalis	(Linnaeus, 1758)	Red-lored Amazon	LC		1825				1.66 ± 0.02
Amazona barbadensis	(Gmelin, JF, 1788)	Yellow-shouldered Amazon	VU	x	50				1.71 ± 0.01
Amazona finschi	(Sclater, PL, 1864)	Lilac-crowned Amazon	EN	x	323				1.73 ± 0.06
Amazona leucocephala	Linnaeus, 1758	Cuban Amazon	NT	x	159				1.26 ± 0.12
Amazona oratrix	Ridgway, 1887	Yellow-headed Amazon	EN		427				1.71 ± 0.05
Amazona ventralis	(Müller, 1776)	Hispaniolan Amazon	VU		173				1.46 ± 0.11
Amazona xantholora	(Gray, GR, 1859)	Yellow-lored Amazon	LC	x	262				1.44 ± 0.07
Ara (Lacépède, 1799)									
Ara chloropterus	Gray, GR, 1859	Red-and-green Macaw	LC		1196				1.33 ± 0.03
Ara militaris	(Linnaeus, 1766)	Military Macaw	VU	x	633				1.59 ± 0.04
Brotogeris (Vigors, 1825)									
Brotogeris jugularis	(Müller, 1776)	Orange-chinned Parakeet	LC		2203				1.57 ± 0.02
Eupsittula (Bonaparte, 1853)									
Eupsittula canicularis	(Linnaeus, 1758)	Orange-fronted Parakeet	LC	x	1267				1.76 ± 0.03
Eupsittula nana	(Vigors, 1830)	Jamaican Parakeet	NT		1930				1.64 ± 0.02
Eupsittula pertinax	(Linnaeus, 1758)	Brown-throated Parakeet	LC		1397				1.50 ± 0.03
Forpus (Boie, F, 1858)									
Forpus conspicillatus	(Lafresnaye, 1848)	Spectacled Parrotlet	LC		919				1.47 ± 0.03
Forpus cyanopygius	(Souancé, 1856)	Mexican Parrotlet	NT	x	325				1.78 ± 0.05







<i>Forpus passerinus</i> (Linnaeus, 1758)	Green-rumped Parrotlet	LC		744			1.73 ± 0.04
<i>Forpus xanthopterygius</i> (von Spix, 1824)	Blue-winged Parrotlet	LC		1594			1.56 ± 0.02
Pionus (Wagler, 1832)							
<i>Pionus senilis</i> (von Spix, 1824)	White-crowned Parrot	LC		1427			1.45 ± 0.03
Psittacara (Vigors, 1825)	Hispaniolan Parakeet	VU		110			1.23 ± 0.12
<i>Psittacara chloropterus</i> (Souancé, 1856)	Cuban Parakeet	VU	x	49			1.58 ± 0.01
<i>Psittacara euops</i> (Wagler, 1832)	Green Parakeet	LC	x	488			1.55 ± 0.05
<i>Psittacara holochlorus</i> (Sclater, PL, 1859)	Pacific Parakeet	NoData	x	282			1.66 ± 0.07
<i>Psittacara strenuus</i> (Ridgway, 1915)							
Pyrilia (Bonaparte, 1856)							
<i>Pyrilia pyrilia</i> (Bonaparte, 1853)	Saffron-headed Parrot	NT		92			1.44 ± 0.16
Pyrrhura (Bonaparte, 1856)	Painted Parakeet	LC		214			1.48 ± 0.08
<i>Pyrrhura picta</i> (Müller, 1776)							
Thectocercus (Ridgway, 1912)							
<i>Thectocercus acuticaudatus</i> (Vieillot, 1818)	Blue-crowned Parakeet	LC	x	893			1.50 ± 0.04
Touit (Gray, GR, 1855)	Lilac-tailed Parrotlet	LC		88			1.54 ± 0.13
<i>Touit batavicus</i> (Boddaert, 1783)							
TINAMIFORMES							
TINAMIDAE							
Crypturellus (Brabourne & Chubb, C, 1914)							
<i>Crypturellus cinnamomeus</i> (Lesson, PA, 1842)	Eastern Thicket Tinamou	LC	x	870			1.45 ± 0.03
<i>Crypturellus erythropus</i> (Pelzeln, 1863)	Red-legged Tinamou	LC		130			1.69 ± 0.04
<i>Crypturellus obsoletus</i> (Temminck, 1815)	Brown Tinamou	LC		826			1.76 ± 0.02
Tinamus (Hermann, 1783)							
<i>Tinamus tao</i> Temminck, 1815	Grey Tinamou	VU		257			1.37 ± 0.06
TROGONIFORMES							
TROGONIDAE							
Priotelus (Gray, GR, 1840)							
<i>Priotelus temnurus</i> (Temminck, 1825)	Cuban Trogon	LC	x	223			1.09 ± 0.03
Trogon (Brisson, 1760)	Violaceous Trogon	LC		1709			1.58 ± 0.03
<i>Trogon caligatus</i> Gould, 1838	Citreoline Trogon	LC	x	1778			1.69 ± 0.06
<i>Trogon citreolus</i> Gould, 1835	Collared Trogon	LC	x	475			1.53 ± 0.02
<i>Trogon collaris</i> Gould, 1845	Elegant Trogon	LC	x	1049			1.52 ± 0.03
<i>Trogon elegans</i> Gould, 1834	Slaty-tailed Trogon	LC		873			1.57 ± 0.03
<i>Trogon massena</i> Gould, 1838	Black-headed Trogon	LC		1429			1.29 ± 0.03
<i>Trogon melanocephalus</i> Gould, 1836	Mountain Trogon	LC		738			1.58 ± 0.04
<i>Trogon mexicanus</i> Swainson, 1827							
STRIGIFORMES							
STRIGIDAE							
Asio (Brisson, 1760)							
<i>Asio stygius</i> (Wagler, 1832)	Stygian Owl	LC		393			1.61 + 0.05
Athene (Boie, F, 1822)							

<i>Athene cunicularia</i> (Molina, 1782)	Burrowing Owl	LC		10732					1.40 ± 0.01
Glaucidium (Boie, F, 1826)									
<i>Glaucidium brasilianum</i> (Gmelin, JF, 1788)	Ferruginous Pygmy-owl	LC		4869					1.32 ± 0.01
<i>Glaucidium gnoma</i> Wagler, 1832	Mountain Pygmy-owl	LC		5825					1.61 ± 0.01
<i>Glaucidium palmarum</i> Nelson, 1901	Colima Pygmy-owl	LC		194					1.48 ± 0.09
<i>Glaucidium siju</i> (d'Orbigny, 1839)	Cuban Pygmy-owl	LC		167					1.16 ± 0.10
Margarobyas (Olson & Suarez, 2008)									
<i>Margarobyas lawrencii</i> P.L. Sclater & Salvin, 1868	Bare-legged Screech-owl	LC	x	72					1.21 ± 0.17
Megascops (Kaup, 1848)									
<i>Megascops choliba</i> (Vieillot, 1817)	Tropical Screech-owl	LC		2765					1.25 ± 0.02
<i>Megascops cooperi</i> (Ridgway, 1878)	Pacific Screech-owl	LC		305					1.67 ± 0.07
<i>Megascops guatemalae</i> (Sharpe, 1875)	Guatemalan Screech-owl	LC	x	520					1.48 ± 0.04
<i>Megascops seductus</i> (Moore, RT, 1941)	Balsas Screech-owl	LC	x	56					1.58 ± 0.11
<i>Megascops trichopsis</i> (Wagler, 1832)	Whiskered Screech-owl	LC		409					1.54 ± 0.05
Pseudoscops (Kaup, 1848)									
<i>Pseudoscops clamator</i> (Vieillot, 1808)	Striped Owl	LC		617					1.33 ± 0.04
Pulsatrix (Kaup, 1848)									
<i>Pulsatrix perspicillata</i> (Latham, 1790)	Spectacled Owl	LC		1117					1.32 ± 0.03
Strix (Linnaeus, 1758)									
<i>Strix nigrolineata</i> (Sclater, 1859)	Black-and-white Owl	LC		428					1.46 ± 0.05
<i>Strix virgata</i> (Cassin, 1849)	Mottled Owl	LC		1818					1.54 ± 0.02
TYTONIDAE									
Tyto (Billberg, 1828)									
<i>Tyto glaucops</i> (Kaup, 1852)	Ashy-faced Owl	LC		50					1.36 ± 0.11
PICIFORMES									
BUCCONIDAE									
Hypnelus (Cabanis & Heine, 1863)									
<i>Hypnelus ruficollis</i> (Wagler, 1829)	Russet-throated Puffbird	LC	x	597					1.36 ± 0.05
GALBULIDAE									
Brachygalba (Bonaparte, 1854)									
<i>Brachygalba goeringi</i> Sclater & Salvin, 1869	Pale-headed Jacamar	LC		77					1.25 ± 0.15
Galbula (Brisson, 1760)									
<i>Galbula ruficauda</i> Cuvier, 1816	Rufous-tailed Jacamar	LC		2515					1.36 ± 0.02
PICIDAE									
Campephilus (Gray, GR, 1840)									
<i>Campephilus guatemalensis</i> (Hartlaub, 1844)	Pale-billed Woodpecker	LC	x	1745					1.36 ± 0.02
<i>Campephilus melanoleucos</i> (Gmelin, JF, 1788)	Crimson-crested Woodpecker	LC		2212					1.32 ± 0.02
Colaptes (Vigors, 1825)									
<i>Colaptes auricularis</i> (Salvin & Godman, 1889)	Grey-crowned Woodpecker	LC	x	123					1.47 ± 0.12
<i>Colaptes chrysoides</i> (Malherbe, 1852)	Gilded Flicker	LC		1216					1.61 ± 0.03
<i>Colaptes punctigula</i> (Boddaert, 1783)	Spot-breasted Woodpecker	LC		1397					1.49 ± 0.03
<i>Colaptes rubiginosus</i> (Swainson, 1820)	Golden-olive Woodpecker	LC		2571					1.52 ± 0.02
Dryobates F. Boie, 1826									
<i>Dryobates scalaris</i> (Wagler, 1829)	Ladder-backed Woodpecker	LC		6316					1.27 ± 0.01
Dryocopus (Boie, 1826)									

document downloaded from https://www.biorxiv.org/ on 10/05/2025. This copy is for personal use; any reuse or distribution of this document is strictly prohibited.

<i>Dryocopus lineatus</i> (Linnaeus, 1766)	Lineated Woodpecker	LC		3686					1.36 ± 0.02
Leuconotopicus (Malherbe, 1845)									
<i>Leuconotopicus arizonae</i> (Hargitt, 1886)	Arizona Woodpecker	LC		394					1.74 ± 0.04
<i>Leuconotopicus fumigatus</i> (d'Orbigny, 1840)	Smoky-brown Woodpecker	LC		1332					1.63 ± 0.02
Melanerpes (Swainson, 1832)									
<i>Melanerpes chrysogenys</i> (Vigors, 1839)	Golden-cheeked Woodpecker	LC	x	773					1.52 ± 0.05
<i>Melanerpes hoffmannii</i> (Cabanis, 1862)	Hoffmann's Woodpecker	LC	x	718					1.41 ± 0.04
<i>Melanerpes hypopolius</i> (Wagler, 1829)	Grey-breasted Woodpecker	LC	x	218					1.47 ± 0.09
<i>Melanerpes pucherani</i> (Malherbe, 1849)	Black-cheeked Woodpecker	LC		1145					1.54 ± 0.02
<i>Melanerpes pygmaeus</i> (Ridgway, 1885)	Yucatan Woodpecker	LC		396					1.46 ± 0.05
<i>Melanerpes rubricapillus</i> (Cabanis, 1862)	Red-crowned Woodpecker	LC		2122					1.27 ± 0.03
<i>Melanerpes striatus</i> (Statius Müller, PL, 1776)	Hispaniolan Woodpecker	LC		392					1.13 ± 0.05
<i>Melanerpes superciliaris</i> (Temminck, 1827)	West Indian Woodpecker	LC	x	329					1.18 ± 0.07
<i>Melanerpes uropygialis</i> (Baird, SF, 1854)	Gila Woodpecker	LC	x	2575					1.48 ± 0.02
Nesocittes (Hargitt, 1890)									
<i>Nesocittes micromegas</i> (Sundevall, 1866)	Antillean Piculet	LC		101					1.18 ± 0.10
Piculus (von Spix, 1824)									
<i>Piculus chrysochloros</i> (Vieillot, 1818)	Golden-green Woodpecker	LC		694					1.26 ± 0.04
Picumnus (Temminck, 1825)									
<i>Picumnus cinnamomeus</i> Wagler, 1829	Chestnut Piculet	LC	x	100					1.50 ± 0.08
<i>Picumnus granadensis</i> Lafresnaye, 1847	Greyish Piculet	LC		191					1.47 ± 0.09
<i>Picumnus olivaceus</i> Lafresnaye, 1845	Olivaceous Piculet	LC		755					1.44 ± 0.04
<i>Picumnus squamulatus</i> Lafresnaye, 1854	Scaled Piculet	LC		325					1.35 ± 0.04
Veniliornis (Bonaparte, 1854)									
<i>Veniliornis kirkii</i> (Malherbe, 1845)	Red-rumped Woodpecker	LC		696					1.53 ± 0.04
Xiphidiopicus (Bonaparte, 1854)									
<i>Xiphidiopicus percussus</i> (Temminck, 1826)	Cuban Green Woodpecker	LC	x	226					1.15 ± 0.09
RAMPHASTIDAE									
Pteroglossus (Illiger, 1811)									
<i>Pteroglossus torquatus</i> (Gmelin, JF, 1788)	Collared Araçari	LC		2244					1.33 ± 0.02
Ramphastos Linnaeus, 1758									
<i>Ramphastos sulfuratus</i> Lesson, R, 1830	Keel-billed Toucan	LC		1988					1.45 ± 0.02
PASSERIFORMES									
AEGITHALIDAE									
Psaltriparus (Bonaparte, 1850)									
<i>Psaltriparus minimus</i> (Townsend, JK, 1837)	American Bushtit	LC		529					1.54 ± 0.04
CARDINALIDAE									
Amaurospiza (Cabanis, 1861)									
<i>Amaurospiza concolor</i> Cabanis, 1861	Blue Seed eater	LC		85					1.64 ± 0.09
Cardinalis (Bonaparte, 1838)									
<i>Cardinalis phoeniceus</i> Bonaparte, 1838	Vermilion Cardinal	LC	x	114					1.51 ± 0.14
Cyanocompsa (Cabanis, 1861)									
<i>Cyanocompsa brissonii</i> (Lichtenstein, MHK, 1823)	Ultramarine Grosbeak	LC		105					1.50 + 0.11
<i>Cyanocompsa parellina</i> (Bonaparte, 1850)	Blue Bunting	LC	x	1036					1.60 ± 0.03

Granatellus (Bonaparte, 1850)										
<i>Granatellus sallaei</i> (Bonaparte, 1856)	Grey-throated Chat	LC		259						1.47 ± 0.07
<i>Granatellus venustus</i> Bonaparte, 1850	Red-breasted Chat	LC	x	197						1.64 ± 0.08
Habia (Blyth, 1840)										
<i>Habia fuscicauda</i> (Cabanis, 1861)	Red-throated Ant-tanager	LC		1388						1.30 ± 0.03
<i>Habia rubica</i> (Vieillot, 1817)	Red-crowned Ant-tanager	LC		1847						1.51 ± 0.03
Passerina (Vieillot, 1816)										
<i>Passerina leclancherii</i> Lafresnaye, 1840	Orange-breasted Bunting	LC	x	471						1.52 ± 0.05
<i>Passerina rositae</i> (Lawrence, 1874)	Rose-bellied Bunting	NT	x	67						1.71 ± 0.15
<i>Passerina versicolor</i> (Bonaparte, 1838)	Varied Bunting	LC		1623						1.48 ± 0.02
Pheucticus (Reichenbach, 1850)										
<i>Pheucticus chrysogaster</i> (Lesson, R, 1832)	Golden Grosbeak	LC		726						1.72 ± 0.04
<i>Pheucticus chrysopheplus</i> (Vigors, 1832)	Yellow Grosbeak	LC	x	423						1.61 ± 0.04
Piranga (Vieillot, 1808)										
<i>Piranga bidentata</i> Swainson, 1827	Flame-colored Tanager	LC	x	890						1.65 ± 0.03
<i>Piranga erythrocephala</i> (Swainson, 1827)	Red-headed Tanager	LC	x	217						1.45 ± 0.07
<i>Piranga flava</i> (Vieillot, 1822)	Red Tanager	LC	x	4233						1.44 ± 0.02
<i>Piranga leucoptera</i> (Trudeau, 1840)	White-winged Tanager	LC		904						1.67 ± 0.03
<i>Piranga roseogularis</i> Cabot, S, 1846	Rose-throated Tanager	LC	x	220						1.49 ± 0.08
COEREVIDAE										
Coereba (Vieillot, 1809)										
<i>Coereba flaveola</i> (Linnaeus, 1758)	Bananaquit	LC		7466						1.44 ± 0.01
CORVIDAE										
Aphelocoma (Cabanis, 1851)										
<i>Aphelocoma californica</i> (Vigors, 1839)	Western Scrub-jay	LC		105						1.24 ± 0.15
<i>Aphelocoma ultramarina</i> (Bonaparte, 1825)	Ultramarine Jay	LC		225						1.64 ± 0.07
Calocitta (Gray, GR, 1841)										
<i>Calocitta colliei</i> (Vigors, 1829)	Black-throated Magpie-jay	LC	x	458						1.61 ± 0.04
<i>Calocitta formosa</i> (Swainson, 1827)	White-throated Magpie-jay	LC	x	1577						1.56 ± 0.03
Corvus (Linnaeus, 1758)										
<i>Corvus corax</i> (Wagler, 1829)	Common Raven	LC		272						1.32 ± 0.07
<i>Corvus leucognaphalus</i> Daudin, 1800	White-necked Crow	VU		154						1.15 ± 0.09
<i>Corvus nasicus</i> Temminck, 1826	Cuban Crow	LC	x	191						1.22 ± 0.08
<i>Corvus sinaloae</i> (Davis, LI, 1958)	Sinaloa Crow	LC	x	334						1.76 ± 0.03
Cyanocorax (Boie, 1826)										
<i>Cyanocorax affinis</i> Pelzel, 1856	Black-chested Jay	LC		848						1.24 ± 0.04
<i>Cyanocorax beecheii</i> (Vigors, 1829)	Purplish-backed Jay	LC	x	142						1.66 ± 0.11
<i>Cyanocorax dickeyi</i> Moore, RT, 1935	Tufted Jay	NT	x	43						1.89 ± 0.01
<i>Cyanocorax melanocyaneus</i> (Hartlaub, 1844)	Bushy-crested Jay	LC	x	446						1.66 ± 0.05
<i>Cyanocorax sanblasianus</i> (Lafresnaye, 1842)	San Blas Jay	LC	x	201						1.78 ± 0.08
<i>Cyanocorax yncas</i> (Boddaert, 1783)	Green Jay	LC		3193						1.65 ± 0.02
<i>Cyanocorax yucatanicus</i> (Dubois, AJC, 1875)	Yucatan Jay	LC	x	627						1.44 ± 0.05
Psilorhinus (Rüppell, 1837)										
<i>Psilorhinus morio</i> (Wagler, 1829)	Brown Jay	LC		2710						1.49 ± 0.02
COTINGIDAE										
Chiroxiphia (Cabanis, 1847)										

<i>Chiroxiphia lanceolata</i> (Wagler, 1830)	Lance-tailed Manakin	LC	x	424					1.57 ± 0.05
<i>Chiroxiphia linearis</i> (Bonaparte, 1838)	Long-tailed Manakin	LC	x	416					1.74 ± 0.04
Pipreola (Swainson, 1838)									
<i>Pipreola formosa</i> (Hartlaub, 1849)	Handsome Fruiteater	LC	x	33					1.62 ± 0.20
Procnias (Illiger, 1811)									
<i>Procnias averano</i> (Hermann, 1783)	Bearded Bellbird	LC		105					1.66 ± 0.07
DONACOBIIDAE									
Donacobius (Swainson, 1831)									
<i>Donacobius atricapilla</i> (Linnaeus, 1766)	Donacobius	LC		1673					1.34 ± 0.02
DULIDAE									
Dulus (Vieillot, 1816)									
<i>Dulus dominicus</i> (Linnaeus, 1766)	Palmchat	LC		335					1.11 ± 0.06
EMBERIZIDAE									
Aimophila (Swainson, 1837)									
<i>Aimophila notosticta</i> (Sclater, PL & Salvin, 1868)	Oaxaca Sparrow	LC	x	30					1.89 ± 0.01
<i>Aimophila rufescens</i> (Swainson, 1827)	Rusty Sparrow	LC	x	1143					1.57 ± 0.03
Ammodramus Swainson, 1827									
<i>Ammodramus humeralis</i> (Bosc, 1792)	Grassland Sparrow	LC		2434					1.36 ± 0.02
Amphispiza (Coues, 1874)									
<i>Amphispiza quinquestriata</i> (Sclater, PL & Salvin, 1868)	Five-striped Sparrow	LC	x	125					1.54 ± 0.12
Arremon (Vieillot, 1816)									
<i>Arremon phaeopleurus</i> (Sclater, PL, 1856)	Caracas Brush-finch	LC	x	17					1.90 ± 0.01
<i>Arremon schlegeli</i> Bonaparte, 1850	Golden-winged Sparrow	LC	x	89					1.32 ± 0.16
Arremonops (Ridgway, 1896)									
<i>Arremonops chloronotus</i> (Salvin, 1861)	Green-backed Sparrow	LC		538					1.36 ± 0.05
<i>Arremonops conirostris</i> (Bonaparte, 1850)	Black-striped Sparrow	LC		1296					1.47 ± 0.03
<i>Arremonops rufivirgatus</i> (Lawrence, 1851)	Olive Sparrow	LC	x	1792					1.56 ± 0.02
<i>Arremonops tocuyensis</i> Todd, 1912	Tocuyo Sparrow	LC	x	40					1.83 ± 0.01
Atlapetes (Wagler, 1831)									
<i>Atlapetes semirufus</i> (Boissonneau, 1840)	Ochre-breasted Brush-finch	LC		116					1.71 ± 0.11
Junco (Wagler, 1831)									
<i>Junco phaeonotus</i> Wagler, 1831	Yellow-eyed Junco	LC		1134					1.61 ± 0.03
Melozone (Reichenbach, 1850)									
<i>Melozone albicollis</i> (Sclater, PL, 1858)	White-throated Towhee	LC	x	130					1.66 ± 0.08
<i>Melozone biarcuata</i> (Prévost & Des Murs, 1842)	Prevost's Ground-sparrow	LC	x	187					1.69 ± 0.07
<i>Melozone cinerea</i> (Bonaparte, 1850)	Rusty-crowned Ground-sparrow	LC	x	441					1.51 ± 0.05
<i>Melozone leucotis</i> Cabanis, 1861	White-eared Ground-sparrow	LC	x	201					1.66 ± 0.09
Peucaea (Audubon, 1839)									
<i>Peucaea botterii</i> (Sclater, PL, 1858)	Botteri's Sparrow	LC		581					1.36 ± 0.05
<i>Peucaea carpalis</i> (Coues, 1873)	Rufous-winged Sparrow	LC		513					1.59 ± 0.04
<i>Peucaea humeralis</i> (Cabanis, 1851)	Black-chested Sparrow	LC	x	223					1.40 ± 0.09
<i>Peucaea mystacalis</i> (Hartlaub, 1852)	Bridled Sparrow	LC	x	117					1.61 ± 0.13
<i>Peucaea ruficauda</i> (Bonaparte, 1853)	Stripe-headed Sparrow	LC	x	1383					1.56 ± 0.03
<i>Peucaea sumichrasti</i> (Lawrence, 1871)	Cinnamon-tailed Sparrow	NT	x	69					1.71 ± 0.14
Torreornis (Barbour y Peters, 1927)									
<i>Torreornis inexpectata</i> Barbour y Peters, 1927	Zapata Sparrow	VU	x	50					1.44 ± 0.17

Zonotrichia (Swainson, 1832)									
<i>Zonotrichia capensis</i> (Statius Müller, PL, 1776)	Rufous-collared Sparrow	LC		11434					1.53 ± 0.01
FORMICARIIDAE									
Chamaeza (Vigors, 1825)									
<i>Chamaeza turdina</i> Cabanis y Heine, 1859	Scalloped Antthrush	LC		38					1.63 ± 0.22
Formicarius (Boddaert, 1783)									
<i>Formicarius analis</i> (d'Orbigny & Lafresnaye, 1837)	Black-faced Antthrush	LC		1459					1.41 ± 0.02
FRINGILLIDAE									
Chlorophonia (Bonaparte, 1851)									
<i>Chlorophonia cyanea</i> (Thunberg, 1822)	Blue-naped Chlorophonia	LC		680					1.76 ± 0.04
Euphonia (Desmarest, 1806)									
<i>Euphonia affinis</i> (Lesson, 1842)	Scrub Euphonia	LC	x	2066					1.54 ± 0.02
<i>Euphonia concinna</i> (Sclater, PL, 1855)	Velvet-fronted Euphonia	LC		108					1.63 ± 0.09
<i>Euphonia cyanocephala</i> (Vieillot, 1819)	Golden-rumped Euphonia	LC		709					1.71 ± 0.04
<i>Euphonia elegantissima</i> (Bonaparte, 1838)	Elegant Euphonia	LC		956					1.66 ± 0.03
<i>Euphonia hirundinacea</i> Bonaparte, 1838	Yellow-throated Euphonia	LC		1819					1.49 ± 0.02
<i>Euphonia laniirostris</i> D'Orbigny & Lafresnaye, 1837	Thick-billed Euphonia	LC		2335					1.59 ± 0.02
<i>Euphonia luteicapilla</i> (Cabanis, 1861)	Yellow-crowned Euphonia	LC		719					1.67 ± 0.03
<i>Euphonia trinitatis</i> Strickland, 1851	Trinidad Euphonia	LC	x	448					1.51 ± 0.05
Spinus (Koch, 1816)									
<i>Spinus cucullatus</i> (Swainson, 1820)	Red Siskin	EN	x	18					1.51 ± 0.01
<i>Spinus dominicensis</i> (Bryant, H, 1867)	Antillean Siskin	LC		53					1.42 ± 0.20
<i>Spinus notatus</i> (Du Bus de Gisignies, 1847)	Black-headed Siskin	LC		880					1.65 ± 0.03
<i>Spinus xanthogastrus</i> (Du Bus de Gisignies, 1855)	Yellow-bellied Siskin	LC		655					1.83 + 0.03
FURNARIIDAE									
Campylorhamphus (Bertoni, AW, 1901)									
<i>Campylorhamphus trochilirostris</i> (Lichtenstein, MHK, 1820)	Red-billed Scythebill	LC		963					1.46 ± 0.03
Cranioleuca (Reichenbach, 1853)									
<i>Cranioleuca subcristata</i> (Sclater, PL, 1874)	Crested Spinetail	LC	x	161					1.62 ± 0.11
Certhiaxis (Lesson, 1844)									
<i>Certhiaxis cinnamomeus</i> (Gmelin, 1788)	Yellow-chinned Spinetail	LC		2156					1.43 ± 0.02
Dendrocincla (Gray, 1840)									
<i>Dendrocincla homochroa</i> (Sclater, 1860)	Ruddy Woodcreeper	LC		612					1.47 ± 0.03
Dendrocolaptes (Hermann, 1804)									
<i>Dendrocolaptes picumnus</i> Lichtenstein, MHK, 1820	Black-banded Woodcreeper	LC		721					1.35 ± 0.04
<i>Dendrocolaptes sanctithomae</i> (Lafresnaye, 1852)	Western Barred Woodcreeper	LC		720					1.51 ± 0.04
Dendroplex Swainson, 1827									
<i>Dendroplex picus</i> (Gmelin, JF, 1788)	Straight-billed Woodcreeper	LC		1832					1.40 ± 0.02
Furnarius (Vieillot, 1816)									
<i>Furnarius leucopus</i> Swainson, 1838	Pale-legged Hornero	LC		2166					1.59 + 0.02
Lepidocolaptes (Reichenbach, 1853)									
<i>Lepidocolaptes leucogaster</i> (Swainson, 1827)	White-striped Woodcreeper	LC		428					1.59 ± 0.05
<i>Lepidocolaptes affinis</i> (Lafresnaye, 1839)	Northern Spot-crowned Woodcreeper	LC		643					1.66 ± 0.04
<i>Lepidocolaptes souleyetii</i> (Lafresnaye, 1849)	Streak-headed Woodcreeper	LC		2228					1.43 ± 0.02
Phacellodomus (Reichenbach, 1853)									
<i>Phacellodomus inornatus</i> Ridgway, 1887	Plain Thornbird	LC		308					1.53 ± 0.06



















Sittasomus (Swainson, 1827)										
<i>Sittasomus griseicapillus</i> (Vieillot, 1818)	Eastern Olivaceous Woodcreeper	LC	x	3610						1.42 ± 0.02
Synallaxis (Vieillot, 1818)										
<i>Synallaxis albescens</i> Temminck, 1823	Pale-breasted Spinetail	LC		2445						1.42 ± 0.02
<i>Synallaxis candei</i> d'Orbigny & Lafresnaye, 1838	White-whiskered Spinetail	LC	x	156						1.37 ± 0.12
<i>Synallaxis cinnamomea</i> Lafresnaye, 1843	Stripe-breasted Spinetail	LC	x	200						1.60 ± 0.10
<i>Synallaxis erythrothorax</i> Sclater, PL, 1855	Rufous-breasted Spinetail	LC		439						1.51 ± 0.05
Syndactyla (Reichenbach, 1853)										
<i>Syndactyla guttulata</i> (Sclater, PL, 1858)	Guttulate Foliage-gleaner	LC	x	29						1.73 ± 0.22
Xenops (Illiger, 1811)										
<i>Xenops rutilans</i> Temminck, 1821	Streaked Xenops	LC	x	1512						1.57 ± 0.03
Xiphorhynchus (Swainson, 1827)										
<i>Xiphorhynchus susurrans</i> (Jardine, 1847)	Cocoa Woodcreeper	LC		1000						1.46 ± 0.03
<i>Xiphorhynchus flavigaster</i> Swainson, 1827	Ivory-billed Woodcreeper	LC	x	1831						1.49 ± 0.02
Xiphocolaptes (Lesson, R, 1840)										
<i>Xiphocolaptes promeropirhynchus</i> (Lesson, R, 1840)	Strong-billed Woodcreeper	LC		967						1.45 ± 0.04
GRALLARIIDAE										
Grallaria (Vieillot, 1816)										
<i>Grallaria guatimalensis</i> Prévost & Des Murs, 1842	Scaled Antpitta	LC		447						1.65 ± 0.05
Grallaricula (P.L. Sclater, 1858)										
<i>Grallaricula cumanensis</i> Hartert, 1900	Sucre Antpitta	VU		8						p *
HIRUNDINIDAE										
Petrochelidon (Cabanis, 1850)										
<i>Petrochelidon fulva</i> (Vieillot, 1808)	Cave Swallow	LC	x	3880						1.51 ± 0.02
Progne (Boic, F, 1826)										
<i>Progne chalybea</i> (Gmelin, JF, 1789)	Grey-breasted Martin	LC		6870						1.31 ± 0.01
<i>Progne sinaloae</i> Nelson, 1898	Sinaloa Martin	VU	x	33						1.68 ± 0.21
<i>Progne tapera</i> (Linnaeus, 1766)	Brown-chested Martin	LC		3989						1.36 ± 0.02
Stelgidopteryx (Baird, SF, 1858)										
<i>Stelgidopteryx ruficollis</i> (Vieillot, 1817)	Southern Rough-winged Swallow	LC		5698						1.18 ± 0.02
<i>Stelgidopteryx serripennis</i> (Audubon, 1838)	Northern Rough-winged Swallow	LC	x	1502						1.57 ± 0.03
Tachycineta (Cabanis, 1850)										
<i>Tachycineta albilinea</i> (Lawrence, 1863)	Mangrove Swallow	LC	x	2067						1.61 ± 0.02
<i>Tachycineta albiventer</i> (Boddaert, 1783)	White-winged Swallow	LC		2793						1.34 ± 0.02
<i>Tachycineta euchrysea</i> (Gosse, 1847)	Golden Swallow	VU		64						1.20 + 0.08
<i>Tachycineta thalassina</i> (Swainson, 1827)	Violet-green Swallow	LC		294						1.41 ± 0.06
ICTERIDAE										
Amblycercus (Cabanis, 1851)										
<i>Amblycercus holosericeus</i> (Deppe, 1830)	Yellow-billed Cacique	LC		1717						1.61 ± 0.02
Cassiculus (Swainson, 1825)										
<i>Cassiculus melanicterus</i> (Bonaparte, 1825)	Yellow-winged Cacique	LC	x	700						1.64 + 0.04
Chrysomus (Swainson, 1837)										
<i>Chrysomus icterocephalus</i> (Linnaeus, 1766)	Yellow-hooded Blackbird	LC		856						1.63 ± 0.03
Dives (Cassin, 1867)										
<i>Dives dives</i> (Deppe, 1830)	Melodious Blackbird	LC		3382						1.49 ± 0.02

Icterus (Brisson, 1760)									
<i>Icterus abeillei</i> (Lesson, R, 1839)	Black-backed Oriole	LC		422					1.72 ± 0.05
<i>Icterus auratus</i> Bonaparte, 1850	Orange Oriole	LC	x	332					1.58 ± 0.06
<i>Icterus auricapillus</i> Cassin, 1848	Orange-crowned Oriole	LC		468					1.58 ± 0.05
<i>Icterus chrysater</i> (Lesson, 1844)	Yellow-backed Oriole	LC		1771					1.67 ± 0.02
<i>Icterus cucullatus</i> Swainson, 1827	Hooded Oriole	LC		5456					1.61 ± 0.01
<i>Icterus dominicensis</i> (Linnaeus, 1766)	Hispaniolan Oriole	LC		166					1.11 ± 0.05
<i>Icterus fuertesi</i> Chapman, 1911	Fuertes's Oriole	LC		17					1.94 ± 0.01
<i>Icterus graduacauda</i> Lesson, R, 1839	Audubon's Oriole	LC		964					1.64 ± 0.03
<i>Icterus gularis</i> (Wagler, 1829)	Altamira Oriole	LC		2306					1.60 ± 0.02
<i>Icterus icterus</i> (Linnaeus, 1766)	Venezuelan Troupial	LC	x	395					1.79 ± 0.05
<i>Icterus maculialatus</i> Cassin, 1848	Bar-winged Oriole	LC	x	122					1.83 ± 0.06
<i>Icterus melanopsis</i> Wagler, 1829	Cuban Oriole	LC	x	198					1.23 ± 0.09
<i>Icterus mesomelas</i> (Wagler, 1829)	Yellow-tailed Oriole	LC		1129					1.58 ± 0.03
<i>Icterus nigrogularis</i> (Hahn, 1819)	Yellow Oriole	LC	x	1305					1.62 ± 0.02
<i>Icterus pectoralis</i> (Wagler, 1829)	Spot-breasted Oriole	LC	x	888					1.78 ± 0.04
<i>Icterus prosthemelas</i> (Strickland, 1850)	Black-cowled Oriole	LC		940					1.60 ± 0.04
<i>Icterus pustulatus</i> (Wagler, 1829)	Streak-backed Oriole	LC	x	2176					1.65 ± 0.02
<i>Icterus wagleri</i> Sclater, PL, 1857	Black-vented Oriole	LC	x	1016					1.58 ± 0.04
Molothrus (Swainson, 1832)									
<i>Molothrus aeneus</i> (Wagler, 1829)	Bronzed Cowbird	LC		5948					1.58 ± 0.01
<i>Molothrus bonariensis</i> (Gmelin, JF, 1789)	Shiny Cowbird	LC		8164					1.37 ± 0.01
<i>Molothrus oryzivorus</i> (Gmelin, JF, 1788)	Giant Cowbird	LC		2637					1.35 ± 0.02
Psarocolius (Wagler, 1827)									
<i>Psarocolius decumanus</i> (Pallas, 1769)	Crested Oropendola	LC		3282					1.40 ± 0.02
<i>Psarocolius montezuma</i> (Lesson, R, 1830)	Montezuma Oropendola	LC		1863					1.67 ± 0.02
Ptiloxena (Chapman, 1892)									
<i>Ptiloxena atroviolacea</i> (d'Orbigny, 1839)	Cuban Blackbird	LC	x	356					1.20 ± 0.06
Quiscalus (Vieillot, 1816)									
<i>Quiscalus lugubris</i> Swainson, 1838	Carib Grackle	LC		1286					1.62 ± 0.03
<i>Quiscalus mexicanus</i> (Gmelin, JF, 1788)	Great-tailed Grackle	LC		2204					1.48 ± 0.02
<i>Quiscalus niger</i> (Boddaert, 1783)	Greater Antillean Grackle	LC		976					1.17 ± 0.04
LANIIDAE									
Lanius (Linnaeus, 1758)									
<i>Lanius ludovicianus</i> Linnaeus, 1766	Loggerhead Shrike	NT		514					1.59 ± 0.05
MIMIDAE									
Melanoptila (Sclater, PL, 1858)									
<i>Melanoptila glabrirostris</i> Sclater, PL, 1858	Black Catbird	NT	x	301					1.77 ± 0.04
Melanotis (Bonaparte, 1850)									
<i>Melanotis caerulescens</i> (Swainson, 1827)	Blue Mockingbird	LC	x	1068					1.66 ± 0.03
Mimus (Boie, F, 1826)									
<i>Mimus gilvus</i> (Vieillot, 1808)	Tropical Mockingbird	LC		4076					1.50 ± 0.02
Toxostoma (Wagler, 1831)									
<i>Toxostoma bendirei</i> (Coues, 1873)	Bendire's Thrasher	VU	x	757					1.74 ± 0.03
<i>Toxostoma cinereum</i> (Xántus de Vésey, 1860)	Grey Thrasher	LC		274					1.88 ± 0.05
<i>Toxostoma guttatum</i> (Ridgway, 1885)	Cozumel Thrasher	CR	x	31					1.99 ± 0.01

document downloaded from <http://www.birds.cornell.edu> on 11/05/2015 11:05:09 AM. The copyright owner has authorized the distribution of this document in any media or format as strictly prohibited.

<i>Dysithamnus mentalis</i> (Temminck, 1823)	Plain Antvireo	LC		1739					1.63 ± 0.02
Formicivora (Swainson, 1824)									
<i>Formicivora grisea</i> Boddaert, 1783	Southern White-fringed Antwren	LC		1116					1.57 ± 0.03
<i>Formicivora intermedia</i> Cabanis, 1847	Northern White-fringed Antwren	LC	x	60					1.89 ± 0.01
Herpsilochmus (Cabanis, 1847)									
<i>Herpsilochmus rufimarginatus</i> (Temminck, 1822)	Southern Rufous-winged Antwren	LC		761					1.58 ± 0.03
Myrmeciza (Gray, GR, 1841)									
<i>Myrmeciza longipes</i> (Swainson, 1825)	White-bellied Antbird	LC		468					1.59 ± 0.05
Sakesphorus (Chubb, C, 1918)									
<i>Sakesphorus canadensis</i> (Linnaeus, 1766)	Black-crested Antshrike	LC		830					1.58 + 0.04
Taraba (Lesson, R, 1831)									
<i>Taraba major</i> (Vieillot, 1816)	Great Antshrike	LC		3093					1.29 + 0.02
Thamnophilus (Vieillot, 1816)									
<i>Thamnophilus atrinucha</i> Salvin & Godman, 1892	Black-crowned Antshrike	LC		996					1.47 + 0.04
<i>Thamnophilus bridgesi</i> Sclater, PL, 1856	Black-hooded Antshrike	LC		165					1.89 + 0.07
<i>Thamnophilus doliatus</i> (Linnaeus, 1764)	Barred Antshrike	LC		4382					1.37 + 0.02
<i>Thamnophilus melanonotus</i> Sclater, PL, 1855	Black-backed Antshrike	LC	x	91					1.64 + 0.15
<i>Thamnophilus multistriatus</i> Lafresnaye, 1844	Bar-crested Antshrike	LC		556					1.86 + 0.04
<i>Thamnophilus nigriceps</i> Sclater, PL, 1869	Black Antshrike	LC		120					1.75 + 0.10
THRAUPIDAE									
Calyptophilus (Cory, 1884)									
<i>Calyptophilus tertius</i> Wetmore, 1929	Western Chat-tanager	VU		28					1.75 ± 0.22
Conirostrum (d'Orbigny & Lafresnaye, 1838)									
<i>Conirostrum bicolor</i> (Vieillot, 1809)	Bicolored Conebill	NT		274					1.64 ± 0.07
<i>Conirostrum leucogenys</i> (Lafresnaye, 1852)	White-eared Conebill	LC	x	176					1.50 ± 0.11
Coryphospingus (Orbigny & Lafresnaye, 1838)									
<i>Coryphospingus pileatus</i> (zu Wied-Neuwied, 1821)	Pileated Finch	LC	x	685					1.67 ± 0.04
Cyanerpes (Oberholser, 1899)									
<i>Cyanerpes cyaneus</i> (Linnaeus, 1766)	Red-legged Honeycreeper	LC		2590					1.49 ± 0.02
Dacnis (Cuvier, 1816)									
<i>Dacnis cayana</i> (Linnaeus, 1766)	Blue Dacnis	LC		3260					1.39 ± 0.02
Diglossa (Wagler, 1832)									
<i>Diglossa baritula</i> Wagler, 1832	Cinnamon-bellied Flowerpiercer	LC		552					1.75 ± 0.05
Emberizoides (Temminck, 1822)									
<i>Emberizoides herbicola</i> (Vieillot, 1817)	Wedge-tailed Grass-finch	LC		1074					1.49 ± 0.03
Eucometis (Sclater, PL, 1850)									
<i>Eucometis penicillata</i> (von Spix, 1825)	Grey-headed Tanager	LC		1325					1.54 ± 0.03
Hemithraupis (Cabanis, 1850)									
<i>Hemithraupis guira</i> (Linnaeus, 1766)	Guira Tanager	LC		1319					1.43 ± 0.02
Nemosia (Vieillot, 1816)									
<i>Nemosia pileata</i> (Boddaert, 1783)	Hooded Tanager	LC		1153					1.43 ± 0.04
Oryzoborus (Cabanis, 1851)									
<i>Oryzoborus crassirostris</i> (Gmelin, JF, 1789)	Large-billed Seed-finch	LC		106					1.70 + 0.09
<i>Oryzoborus funereus</i> Sclater, PL, 1860	Thick-billed Seed-finch	LC		64					1.61 + 0.12
Phaenicophilus (Strickland, 1851)									
<i>Phaenicophilus palmarum</i> (Linnaeus, 1766)	Black-crowned Palm-tanager	LC		265					1.22 + 0.07

Pipraeidea (Swainson, 1827)									
<i>Pipraeidea melanonota</i> (Vieillot, 1819)	Fawn-breasted Tanager	LC		1214					1.67 + 0.03
Ramphocelus (Desmarest, 1805)									
<i>Ramphocelus dimidiatus</i> Lafresnaye, 1837	Crimson-backed Tanager	LC		1259					1.68 + 0.02
<i>Ramphocelus flammigerus</i> (Jardine & Selby, 1833)	Flame-rumped Tanager	LC		922					1.68 + 0.04
Rhodinocichla (Hartlaub, 1853)									
<i>Rhodinocichla rosea</i> (Lesson, R, 1832)	Rosy Thrush-tanager	LC	x	256					1.65 + 0.09
Saltator (Vieillot, 1816)									
<i>Saltator atriceps</i> (Lesson, R, 1832)	Black-headed Saltator	LC		2295					1.55 + 0.02
<i>Saltator coerulescens</i> Vieillot, 1817	Amazonian Grey Saltator	LC		5416					1.40 + 0.01
<i>Saltator maximus</i> (Statius Müller, PL, 1776)	Buff-throated Saltator	LC		3726					1.43 + 0.02
<i>Saltator orenocensis</i> Lafresnaye, 1846	Orinocan Saltator	LC		166					1.77 + 0.08
<i>Saltator striatipectus</i> Lafresnaye, 1847	Streaked Saltator	LC		1557					1.72 + 0.03
Sicalis (Boie, F, 1828)									
<i>Sicalis flaveola</i> (Linnaeus, 1766)	Saffron Finch	LC	x	6373					1.49 + 0.01
Sporophila (Cabanis, 1844)									
<i>Sporophila corvina</i> (Sclater, PL, 1860)	Black Seed eater	LC		1790					1.64 + 0.02
<i>Sporophila intermedia</i> Cabanis, 1851	Grey Seed eater	LC		883					1.59 + 0.04
<i>Sporophila minuta</i> (Linnaeus, 1758)	Ruddy-breasted Seed eater	LC		1593					1.62 + 0.02
<i>Sporophila nigricollis</i> (Vieillot, 1823)	Yellow-bellied Seed eater	LC		2519					1.60 + 0.02
<i>Sporophila plumbea</i> (zu Wied-Neuwied, 1830)	Plumbeous Seed eater	LC		354					1.45 + 0.05
<i>Sporophila torqueola</i> (Bonaparte, 1850)	Cinnamon-rumped Seed eater	LC	x	3810					1.54 + 0.02
Spindalis (Jardine & Selby, 1837)									
<i>Spindalis zena</i> (Linnaeus, 1758)	Western Spindalis	LC	x	214					1.25 + 0.07
Tachyphonus (Vieillot, 1816)									
<i>Tachyphonus rufus</i> (Boddaert, 1783)	White-lined Tanager	LC		2401					1.44 + 0.02
Tangara (Brisson, 1760)									
<i>Tangara cayana</i> (Linnaeus, 1766)	Burnished-buff Tanager	LC		2691					1.47 + 0.02
Tersina (Vieillot, 1819)									
<i>Tersina viridis</i> (Illiger, 1811)	Swallow Tanager	LC		1914					1.47 + 0.02
Thraupis (Boie, F, 1826)									
<i>Thraupis abbas</i> (Deppe, 1830)	Yellow-winged Tanager	LC		1690					1.55 + 0.02
<i>Thraupis episcopus</i> (Linnaeus, 1766)	Blue-grey Tanager	LC		7938					1.45 + 0.01
<i>Thraupis glaucocolpa</i> Cabanis, 1850	Glaucous Tanager	LC	x	243					1.75 + 0.07
Tiaris (Swainson, 1827)									
<i>Tiaris bicolor</i> (Linnaeus, 1766)	Black-faced Grassquit	LC		989					1.70 + 0.03
<i>Tiaris canorus</i> (Gmelin, JF, 1789)	Cuban Grassquit	LC	x	119					1.14 + 0.04
<i>Tiaris fuliginosus</i> (zu Wied-Neuwied, 1830)	Sooty Grassquit	LC		231					1.62 + 0.09
<i>Tiaris obscurus</i> (d'Orbigny & Lafresnaye, 1837)	Dull-colored Grassquit	LC		655					1.67 + 0.04
<i>Tiaris olivaceus</i> (Linnaeus, 1766)	Yellow-faced Grassquit	LC		3225					1.67 + 0.02
Volatinia (Reichenbach, 1850)									
<i>Volatinia jacarina</i> (Linnaeus, 1766)	Blue-black Grassquit	LC		8667					1.31 + 0.01
TITYRIDAE									
Pachyramphus (Gray, GR, 1839)									
<i>Pachyramphus aglaiae</i> (Lafresnaye, 1839)	Rose-throated Becard	LC	x	2600					1.64 + 0.02
<i>Pachyramphus albogriseus</i> Sclater, PL, 1857	Black-and-white Becard	LC		283					1.73 + 0.07

<i>Pachyramphus castaneus</i> (Jardine & Selby, 1827)	Chestnut-crowned Becard	LC		763					1.62 ± 0.04
<i>Pachyramphus cinnamomeus</i> Lawrence, 1861	Cinnamon Becard	LC		951					1.53 ± 0.04
<i>Pachyramphus homochrous</i> Sclater, PL, 1859	One-colored Becard	LC	x	256					1.67 ± 0.08
<i>Pachyramphus major</i> (Cabanis, 1847)	Eastern Grey-collared Becard	LC	x	531					1.66 ± 0.05
<i>Pachyramphus polychopterus</i> (Vieillot, 1818)	White-winged Becard	LC		2946					1.31 ± 0.02
Tityra (Vieillot, 1816)									
<i>Tityra cayana</i> (Linnaeus, 1766)	Western Black-tailed Tityra	LC		1327					1.38 ± 0.03
<i>Tityra inquisitor</i> (Lichtenstein, MHK, 1823)	Black-crowned Tityra	LC		2062					1.47 ± 0.02
<i>Tityra semifasciata</i> (von Spix, 1825)	Masked Tityra	LC		4214					1.49 ± 0.01
Xenopsaris (Ridgway, 1891)									
<i>Xenopsaris albinucha</i> (Burmeister, 1869)	White-naped Becard	LC		195					1.48 ± 0.08
TROGLODYTIDAE									
Campylorhynchus (von Spix, 1824)									
<i>Campylorhynchus capistratus</i> (Lesson, R, 1842)	Rufous-backed Wren	LC		24					1.72 ± 0.25
<i>Campylorhynchus chiapensis</i> Salvin & Godman, 1891	Giant Wren	LC	x	86					1.85 ± 0.12
<i>Campylorhynchus griseus</i> (Swainson, 1838)	Bicolored Wren	LC		1440					1.62 ± 0.03
<i>Campylorhynchus gularis</i> Sclater, PL, 1861	Spotted Wren	LC		431					1.65 ± 0.05
<i>Campylorhynchus humilis</i> Sclater, PL, 1857	Sclater's Wren	LC		11					p *
<i>Campylorhynchus jocosus</i> Sclater, PL, 1860	Boucard's Wren	LC	x	181					1.81 ± 0.05
<i>Campylorhynchus nuchalis</i> Cabanis, 1847	Stripe-backed Wren	LC	x	382					1.73 ± 0.05
<i>Campylorhynchus rufinucha</i> (Lesson, R, 1838)	Rufous-naped Wren	LC	x	1444					1.68 ± 0.02
<i>Campylorhynchus yucatanicus</i> (Hellmayr, 1934)	Yucatan Wren	NT	x	63					1.69 ± 0.18
<i>Campylorhynchus zonatus</i> (Lesson, R, 1832)	Band-backed Wren	LC		1269					1.50 ± 0.03
Cantorchilus (Mann, Barker, Graves, Dingess-Mann & Slater, 2006)									
<i>Cantorchilus modestus</i> (Cabanis, 1861)	Plain Wren	LC	x	1372					1.50 ± 0.03
Hylorchilus (Nelson, 1897)									
<i>Hylorchilus navai</i> Crossin & Ely, 1973	Nava's Wren	VU		19					1.72 ± 0.25
Pheugopedius (Cabanis, 1850)									
<i>Pheugopedius fasciatoventris</i> (Lafresnaye, 1845)	Black-bellied Wren	LC		406					1.71 ± 0.06
<i>Pheugopedius felix</i> (Sclater, PL, 1860)	Happy Wren	LC	x	689					1.76 ± 0.04
<i>Pheugopedius maculipectus</i> (Lafresnaye, 1845)	Spot-breasted Wren	LC		1687					1.61 ± 0.03
<i>Pheugopedius rutilus</i> (Vieillot, 1819)	Rufous-breasted Wren	LC		576					1.77 ± 0.04
Thryophilus (Baird, 1864)									
<i>Thryophilus pleurostictus</i> (Sclater, PL, 1860)	Banded Wren	LC	x	767					1.66 ± 0.04
<i>Thryophilus rufalbus</i> (Lafresnaye, 1845)	Rufous-and-white Wren	LC	x	793					1.69 ± 0.04
<i>Thryophilus sinaloa</i> Baird, SF, 1864	Sinaloa Wren	LC	x	622					1.75 ± 0.04
Troglodytes (Vieillot, 1809)									
<i>Troglodytes aedon</i> Vieillot, 1809	House Wren	LC		4480					1.34 ± 0.01
Uropsila (Sclater, PL & Salvin, 1873)									
<i>Uropsila leucogastra</i> (Gould, 1837)	White-bellied Wren	LC		604					1.72 ± 0.04
TURDIDAE									
Catharus (Bonaparte, 1850)									
<i>Catharus aurantiirostris</i> (Hartlaub, 1850)	Orange-billed Nightingale-thrush	LC	x	1512					1.73 ± 0.02
Turdus (Linnaeus, 1758)									
<i>Turdus assimilis</i> Cabanis, 1850	White-throated Thrush	LC	x	1319					1.59 ± 0.03
<i>Turdus flavipes</i> Vieillot, 1818	Yellow-legged Thrush	LC		666					1.84 ± 0.03

<i>Turdus fumigatus</i> Lichtenstein, MHK, 1823	Cocoa Thrush	LC		334					1.56 ± 0.07
<i>Turdus grayi</i> Bonaparte, 1838	Clay-colored Thrush	LC		4625					1.60 ± 0.02
<i>Turdus infuscatus</i> (Lafresnaye, 1844)	Black Thrush	LC		263					1.77 ± 0.07
<i>Turdus leucomelas</i> Vieillot, 1818	Pale-breasted Thrush	LC		2932					1.53 ± 0.02
<i>Turdus nudigenis</i> Lafresnaye, 1848	Spectacled thrush	LC		690					1.54 ± 0.04
<i>Turdus plumbeus</i> Linnaeus, 1758	Northern Red-legged Thrush	LC		780					1.24 ± 0.04
<i>Turdus rufopalliatu</i> s Lafresnaye, 1840	Rufous-backed Thrush	LC	x	1267					1.73 ± 0.03
<i>Turdus swalesi</i> (Wetmore, 1927)	La Selle Thrush	VU		27					1.65 ± 0.01
TYRANNIDAE									
Arundinicola d'Orbigny, 1840									
<i>Arundinicola leucocephala</i> (Linnaeus, 1764)	White-headed Marsh-tyrant	LC		1430					1.47 ± 0.02
Atalotriccus (Ridgway, 1905)									
<i>Atalotriccus pilaris</i> (Cabanis, 1847)	Pale-eyed Pygmy-tyrant	LC		474					1.57 ± 0.04
Attila (Lesson, R, 1831)									
<i>Attila spadiceus</i> (Gmelin, JF, 1789)	Bright-rumped Attila	LC		2811					1.45 ± 0.02
Camptostoma (Sclater, 1857)									
<i>Camptostoma imberbe</i> (Sclater, 1857)	Northern Beardless Tyrannulet	LC	x	2051					1.55 ± 0.02
<i>Camptostoma obsoletum</i> (Temminck, 1824)	Southern Beardless Tyrannulet	LC		4745					1.34 ± 0.01
Capsiempis (Cabanis & Heine, 1859)									
<i>Capsiempis flaveola</i> (Lichtenstein, 1823)	Yellow Tyrannulet	LC		1183					1.46 ± 0.02
Cnemotriccus (Hellmayr, 1927)									
<i>Cnemotriccus fuscatus</i> (zu Wied-Neuwied, 1831)	Fuscou Flycatcher	LC	x	1079					1.33 ± 0.03
Colonia (Gray, JE, 1828)									
<i>Colonia colonus</i> (Vieillot, 1818)	Long-tailed Tyrant	LC		1537					1.57 ± 0.02
Contopus (Cabanis, 1855)									
<i>Contopus cinereus</i> (von Spix, 1825)	Southern Tropical Pewee	LC		2376					1.52 ± 0.02
<i>Contopus caribaeus</i> (d'Orbigny, 1839)	Cuban Pewee	LC	x	308					1.37 ± 0.06
<i>Contopus hispaniolensis</i> (Bryant, H, 1867)	Hispaniolan Pewee	LC		118					1.19 ± 0.11
Deltarhynchus (Ridgway, 1893)									
<i>Deltarhynchus flammulatus</i> (Lawrence, 1875)	Flammulated Flycatcher	LC	x	108					1.76 ± 0.13
Elaenia (Sundevall, 1836)									
<i>Elaenia cristata</i> Pelzeln, 1868	Plain-crested Elaenia	LC		460					1.44 ± 0.06
<i>Elaenia chiriquensis</i> Lawrence, 1865	Lesser Elaenia	LC		1012					1.54 ± 0.03
<i>Elaenia flavogaster</i> (Thunberg, 1822)	Yellow-bellied Elaenia	LC		5323					1.45 ± 0.01
<i>Elaenia martinica</i> (Linnaeus, 1766)	Caribbean Elaenia	LC		327					1.83 ± 0.07
Euscarthmus (zu Wied-Neuwied, 1831)									
<i>Euscarthmus meloryphus</i> zu Wied-Neuwied, 1831	Tawny-crowned Pygmy-tyrant	LC		1052					1.59 ± 0.03
Fluvicola (Swainson, 1827)									
<i>Fluvicola pica</i> (Boddaert, 1783)	Pied Water-tyrant	LC		886					1.49 ± 0.03
Hemitriccus (Cabanis & Heine, 1859)									
<i>Hemitriccus margaritaceiventer</i> (d'Orbigny & Lafresnaye, 1837)	Pearly-vented Tody-tyrant	LC	x	1576					1.52 ± 0.02
Inezia (Cherrie, 1909)									
<i>Inezia caudata</i> (Salvin, 1897)	Pale-tipped Tyrannulet	LC		100					1.76 ± 0.08
<i>Inezia tenuirostris</i> (Cory, 1913)	Slender-billed Tyrannulet	LC	x	124					1.62 ± 0.11
Lathrotriccus (Lanyon, W & Lanyon, S, 1986)									
<i>Lathrotriccus euleri</i> (Cabanis, 1868)	Euler's Flycatcher	LC		1332					1.45 ± 0.03

document downloaded from <http://www.birdweb.org> on 10/05/2025. This copy is for personal use; any transmission or other use of this document is strictly prohibited.

Legatus (Sclater, PL, 1859) <i>Legatus leucophauius</i> (Vieillot, 1818)	Piratic Flycatcher	LC		3176					1.44 ± 0.02
Leptopogon (Cabanis, 1844) <i>Leptopogon amaurocephalus</i> Cabanis, 1846	Sepia-capped Flycatcher	LC		1675					1.42 ± 0.03
Machetornis (Gray, GR, 1841) <i>Machetornis rixosa</i> (Vieillot, 1819)	Cattle Tyrant	LC		4561					1.53 ± 0.01
Megarynchus (Thunberg, 1824) <i>Megarynchus pitangua</i> (Linnaeus, 1766)	Boat-billed Flycatcher	LC		7183					1.39 ± 0.01
Mitrephanes (Coues, 1882) <i>Mitrephanes phaeocercus</i> (Sclater, PL, 1859)	Tufted Flycatcher	LC		1138					1.67 ± 0.03
Myiarchus (Cabanis, 1844) <i>Myiarchus apicalis</i> Sclater & Salvin, 1881	Apical Flycatcher	LC		302					1.84 + 0.06
<i>Myiarchus ferox</i> (Gmelin, JF, 1789)	Short-crested Flycatcher	LC		2265					1.34 ± 0.02
<i>Myiarchus nuttingi</i> Ridgway, 1882	Nutting's Flycatcher	LC	x	1002					1.67 ± 0.03
<i>Myiarchus panamensis</i> Lawrence, 1861	Panama Flycatcher	LC		357					1.48 ± 0.07
<i>Myiarchus sagrae</i> (Gundlach, 1852)	La Sagra's Flycatcher	LC	x	267					1.23 ± 0.06
<i>Myiarchus stolidus</i> (Gosse, 1847)	Stolid Flycatcher	LC		245					1.32 ± 0.07
<i>Myiarchus tuberculifer</i> d'Orbigny & Lafresnaye, 1837	Dusky-capped Flycatcher	LC		5849					1.50 ± 0.01
<i>Myiarchus tyrannulus</i> (Statius Müller, PL, 1776)	Brown-crested Flycatcher	LC	x	5580					1.49 ± 0.01
<i>Myiarchus venezuelensis</i> Lawrence, 1865	Venezuelan Flycatcher	LC	x	114					1.63 ± 0.14
<i>Myiarchus yucatanensis</i> Lawrence, 1871	Yucatan Flycatcher	LC		313					1.70 ± 0.05
Myiobius (Darwin, 1839) <i>Myiobius atricaudus</i> (Lawrence, 1863)	Black-tailed Flycatcher	LC		392					1.52 ± 0.07
<i>Myiobius sulphureipygius</i> (Sclater, PL, 1857)	Sulphur-rumped Flycatcher	LC		561					1.60 ± 0.04
Myiodynastes (Bonaparte, 1857) <i>Myiodynastes maculatus</i> (Statius Müller, PL, 1776)	Northern Streaked Flycatcher	LC		4640					1.35 ± 0.01
Myiopagis (Salvin & Godman, 1888) <i>Myiopagis viridicata</i> (Vieillot, 1817)	Greenish Elaenia	LC	x	2032					1.53 ± 0.02
Myiophobus (Reichenbach, 1850) <i>Myiophobus fasciatus</i> (Statius Müller, PL, 1776)	Bran-colored Flycatcher	LC		2493					1.53 ± 0.02
Myiozetetes (Sclater, PL, 1859) <i>Myiozetetes similis</i> (von Spix, 1825)	Social Flycatcher	LC	x	8743					1.46 ± 0.01
Oncostoma (Sclater, PL, 1862) <i>Oncostoma cinereigulare</i> (Sclater, PL, 1857)	Northern Bentbill	LC		982					1.42 + 0.03
<i>Oncostoma olivaceum</i> (Lawrence, 1862)	Southern Bentbill	LC	x	185					1.63 + 0.09
Phaeomyias (von Berlepsch, 1902) <i>Phaeomyias murina</i> (von Spix, 1825)	Mouse-colored Tyrannulet	LC		1639					1.39 + 0.02
Phelpsia (Lanyon, W, 1984) <i>Phelpsia inornata</i> (Lawrence, 1869)	White-bearded Flycatcher	LC		107					1.74 + 0.10
Phyllomyias (Cabanis & Heine, 1859) <i>Phyllomyias griseiceps</i> (Sclater, PL & Salvin, 1871)	Sooty-headed Tyrannulet	LC		458					1.67 + 0.05
Pitangus (Swainson, 1827) <i>Pitangus sulphuratus</i> (Linnaeus, 1766)	Great Kiskadee	LC		3607					1.40 + 0.02
Platyrinchus (Desmarest, 1805) <i>Platyrinchus cancrominus</i> Sclater, PL & Salvin, 1860	Stub-tailed Spadebill	LC		476					1.51 + 0.05
<i>Platyrinchus mystaceus</i> Vieillot, 1818	Eastern White-throated Spadebill	LC		992					1.72 + 0.03

[illegible]